

References and bibliography

- Abbas M. M., Michelsen H.A., Gunson M. R., Abrams M. C., Newchurch M. J., Salawitch R. J., Chang A. Y., Goldman A., Irion F. W., Manney G. L., Moyer E. J., Nagaraju R., Risland C. P., Stiller G. P., and Zander R. (1996). Seasonal variations of water vapour in the lower stratosphere inferred from ATMOS/ATLAS-3 measurements of H_2O and CH_4 . Geophysical Research Lett. , Vol. 23, N 17, p. 2401-2404.
- Afsar M. N. , and Hasted J. B. (1977). Measurement of the optical constants of liquid H_2O and D_2O between 6 and 450 cm^{-1} . J. Opt. Soc. Amer., Vol. 67, N 7, p. 902-904.
- Aguttes J. P. , Schrige J., Goldstein C., Rouze M., and Raju G. (2000). MEGHA-TROPIQUES, a satellite for studying the water cycle and energy exchanges in the tropics. IEEE IGARSS 2000 Proceedings, Vol. VII, IEEE, New York, p. 3042-3044.
- Akhadov Ja. Yu. (1977) . Dielectric properties of binary solutions. Nauka Publ. House, Moscow, 420p. (in Russian).
- Akindinov V. V., Naryshkin V. I. , and Piazantsev A. M. (1976) . Electromagnetic fields in sea water . Radiotekhnika i elektronika (J. Communic. Techn. Electronics - Engl. transl.), Vol. 21, N 5, p. 913-944.
- Akvilanova A. B., and Kutuza B. G. (1978). Radiothermal emission of clouds. Radiotekhnika i elektronika (J. Communic. Techn. Electronics - Engl. transl.), Vol. 23, N 9, p. 1792-1806.
- Akvilanova A. B. , Mitnik L. M. , and Kutuza B. G. (1971). Global latitude distribution of cloud liquid water with "Cosmos-243" satellite data. Izvestya AN . Fizika atmosphery i okeana. (Izvestiya, Atmospheric and Oceanic Physics –English transl.), Vol. 7, N2, p. 139- 141.
- Akvilanova A. B., Basharinov A. E., Gorodezkii A. K., Gurvich A. S., Krylova M. S., Kutuza B. G., Matveev D. T., and Orlov A. P. (1973). Investigation of cloud parameters with "Cosmos-384" satellite data. Izvestya AN . Fizika atmosphery i okeana. (Izvestiya, Atmospheric and Oceanic Physics – English Transl.), Vol. 9, N2, p. 187-189 .
- Alekseev V. A. , Aleshina T. N., Krotikov V. D. , and Troitsky V. S. (1967). The influence of the roughness of the upper lunar cover on the emission capacity and the radiobrightness distribution. Astronomichesky jurnal (Astronomical journal), Vol. 44, N 5, p. 1070-1075 (in Russian).
- Allen P. M. (1997). Cities and regions as self-organizing systems. Models of complexity. Gordon and Breach, 267p.
- Allison L.J., Rodgers E.B., Wilheit T.T., Fett R.W. (1974). Tropical cyclone rainfall as measured by the Nimbus-5 electrically scanning microwave radiometer. Bull. Amer. Meteor. Soc., Vol.55, N9, p.1074-1089.
- Alpert I. L., Ginzburg V. L. , and Feinberg E.L. (1953). Radio-wave propagation. State technik-theoretic literature Publ. House, Moscow, 883 p. (in Russian).
- Amirkhanyan V. R., Bespalova E. A., Bulatov M. G., Veselov V. M., Vorsin N. N., Militskii Yu. A., Mirovskii V. G., Nemlicher Yu. A., Nikitin V. V., Raev M. D., Rabinovich Yu. I., Skulachev D. P., Strukov I.A., Shiraeva T. A., and Etkin V.S. (1975). Airborne microwave radiometric high-sensitive instruments for remote sensing of the Earth's surface. Preprint N Pr-244, Moscow, Space Research Institute, 16p. (in Russian)
- Amit D. J. , and Verbin Y. (1999). Statistical physics. An introductory course. World Scientific, Singapore, New Jersey etc., 580p.
- Andrade R. F. S., Schellnhuber H. J., and Claussen M. (1998) . Analysis of rainfall records: possible relation to self-organized criticality. Physica A, Vol. 254, N 3-4, p. 557-568.
- Anselmet F., Antonia R. A. , and Danaila L. (2001). Turbulent flows and intermittency in laboratory experiments. Planetary and Space Science, Vol. 49, N 12, p. 1177-1191.
- Angell C. A. (1982). Super cooled water. In "Water. A comprehensive treatise.", Vol. 7, Plenum Press, N.Y., London, p. 1-81.

- Antonov V.V., Armand N.A., Bobylev L.P., Bunkin F.V. et al. (1995). Russian spacecrafts for the Earth's study as a common ecological system. Preprint N Pr-1916. Moscow, Space Research Institute, 73p. (in Russian).
- Aoki I. (1988). Entropy flows and entropy productions in the Earth's surface and in the Earth's atmosphere. J. of the Physical Soc. Japan, Vol. 57 , N 9, p. 3262-3269.
- Apel J. R. (1994). An improved model of the ocean surface wave vector spectrum and its effects on radar backscatter . J. Geophysical Research, Vol. 99, N C8, p. 16269-16291.
- Apletalin V. N., Meriakri V. V., and Chigryai E. E. (1970). Measurements of absorbability and refractivity of the water at the band from 2 to 0,8 mm. Radiotekhnika i elektronika (J. Communic. Techn. Electronics - Engl. transl.), Vol. 15, N 7, p. 1502-1503.
- Apresyan L. A. and Kravtsov Yu. A. (1996). Radiation transfer: statistical and wave aspects. Gordon and Breach Publ., Amsterdam, 456 p.
- Arkin P. A.,and Xie P. (1994). The Global Precipitation Climatology Project: first Algorithm Intercomparison Project. Bull. Am. Meteorol. Soc., Vol. 75, p. 401-419.
- Armand N. A. , Ed. (1993). International Project PRIRODA. Instruments. Reference handbook. Institute of Radioengineering and Electronics RAS, Moscow,9 p.
- Armand N. A. , Savorsky V. P. , Smirnov M. T. , and Tischenko Yu. G. (2001). Earth nature resources research and ecological monitoring on the Russian segment of International Space Station (ISS). Earth Research from Space (Earth Obs. Remote Sensing - Engl. transl.). N 2. p. 55-60.
- Arrault J., Arneodo A., Davis A. and Marshak A. (1997). Wavelet based multifractal analysis of rough surfaces: application to cloud models and satellite data. Physical Review Letters, Vol. 79, N 1, p. 75-78.
- Asheko A. A. , Moroz V. I. , and Sharkov E. A. (1989). Dielectric and radiothermal properties of electrolyte water systems at 9,5 GHz . Preprint N Pr-1578 . Moscow, Space Research Institute, 41p. (in Russian)
- Asrar Gh. and Dokken D. J., Eds. (1993). EOS reference handbook. NASA, Washington, 145 p.
- Astafyeva N. M. (1996). Wavelet analysis : basic theory and some applications. Physics- Uspekhi , Vol. 39, N 11, p. 1085-1108.
- Astafyeva N. M. (1997). Nonlinear shear flow in rotating spherical layers and global atmosphere motion modeling. Izvestiya VUZ. Applied Nonlinear Dynamics. Vol. 5, N5, p. 3-29 (in Russian) .
- Astafyeva N.M., Pokrovskaya I.V., Sharkov E.A. (1994a). Scaling features of global tropical cyclogenesis. Doklady Acad. Nauk (Trans. of Russian Academy of Sciences / Earth Science Section- Eng. Transl.) , Vol.337, N4, p.517-520 .
- Astafyeva N.M., Pokrovskaya I.V., Sharkov E.A. (1994b). Hierarchical structure of global tropical cyclogenesis. Earth Research from Space. N2, p.14-23 (in Russian).
- Astafyeva N. M. and Sharkov E. A.(1998) Hierarchical structure of railway traffic popular service . Matematicheskoe modelirovanie (Mathematical Modeling). Vol. 10. N 7. P. 37- 47. (in Russian).
- Atlas D. , Ulbrich C.W. , Meneghini R. (1984). The multiparameter remote measurement of rainfall. Radio Sci., Vol. 19, N 1, p. 3- 22.
- Attema E. (1993). The geophysical validation of ERS-1 data products. Earth Observ. Quarterly, N40, p.5-7.
- Avduevskii V.S., Grishin S.D., Uspenskii V.K., Astashkin A.A., Saulskii V.K. (1983). On the problem of effectiveness and principal parameters of satellites for continuos observations of spontaneous natural phenomena. Earth Research from Space (Earth Obs. Remote Sensing- Engl. Transl.) , N2, p.117-124 (in Russian).
- Bak P., Tang C., and Wiesenfeld K. (1987). Self-organized criticality: an explanation of 1/f noise. Phys. Rev. Lett., Vol. 59, N 4 , p. 381-384.
- Bardati F., and Solimini D. (1984). On the emissivity of layered materials. IEEE Trans. Geosci. Remote Sensing, Vol. 22, N 4, p. 374-376.

- Barichello L. B. , Garcia R. D. M. , and Siewert C. E. (1998). A spherical-harmonics solution for radiative-transfer problems with reflecting boundaries and internal sources. *J. Quant. Spectrosc. Radiat. Transfer*, Vol. 60, N 2, p. 247-260.
- Barreiro R. B. (2000). The cosmic microwave background state of the art. *New Astronomy Review* , Vol. 44, N 3, p. 179-204.
- Barthel J. , Schmithals F., and Behret H. (1970). Untersuchen zur Dispersion der komplexen Dielektrizitäts-Konstante waßriger und nichtwaßriger Electrolylosungen. *Zeitschrift fur Physic. Chemie*. Vol. 71. N 1-3, p. 115-131.
- Bartsch N., Gruner K., Keydel W., and Witte F. (1987). Contributions to oil-spill detection and analysis with radar and microwave radiometry : results of the Archimedes II campaign. *IEEE Transc. Geoscience Remote Sensing* , Vol. 25, N 6, p. 677-690.
- Bartsch B., Bakan S., Fischer J. (1996). Passive remote sensing of the atmospheric water vapour content above land surface. *Adv. Space Res.*, Vol. 18, N 7, p. 25-28.
- Baryshnikova Yu.S., Zaslavskii G.M., Lupian E.A., Moiseev S.S., Sharkov E.A. (1989a). Fractal dimensionality of cloudiness IR images and turbulent atmosphere properties. *Earth Research from Space*, N1, p.17-26 (in Russian).
- Baryshnikova Yu.S., Zaslavsky G.M., Lupian E.A., Moiseev S.S., Sharkov E.A. (1989b).Fractal analysis of the pre-hurricane atmosphere from satellite data. *Adv. Space Res.*, Vol.9, N7, p.405-408.
- Basharinov A. E., Gushina I. Ya., and Zatitskii V. A. (1967). Effect of form of particles' albedo on the emissivity of scattering layer. *Radiotecnika I electronica*. (*J. Communic. Techn. Electronics – English transl.*), Vol. 12, N 2, p. 179-183.
- Basharinov A. E., Tuchkov L. T., Polyakov V. M., and Ananov N. I. (1968). Measurement of radiothermal and plasma radiation in the microwave band. Moscow, Sovetskoe radio Publ. House, 320p. (in Russian).
- Basharinov A. E. , Gurvich A. S. , Egorov S. T. (1969). The retrieval of geophysical parameters with thermal emission data by "Cosmos-243" satellite. *Doklady Acad. Nauk USSR* (Trans. of Russian Academy of Sciences / Earth Science Section- Eng. Transl.) , Vol.188 , N6, p.1273-1275.
- Basharinov A. E. , Gurvich A. S. , Egorov S. T. , Zhukov V. I., Kurskay A. A. , Malafeev D. T., Matveev D. T., Michailov A. S., and Shutko A. M. (1971). Results of observations for the thermal radioemission of the Earth's surface with data of the experiment by "Cosmos-243" satellite . *Kosmicheskie issledovaniya* (Cosmic Research – English Transl.), Vol. 9, N 2, p. 268-279.
- Basharinov A. E., Gorodezki A. K., Gurvich A. S., Egorov S. T., Kurskay A. A. , Matveev D. T., Orlov A. P. , and Shutko A. M. (1973). Brightness temperatures of Earth's surfaces at microwave and infrared bands with data of the experiment by "Cosmos-384" satellite. *Izvestya Acad. Nauk USSR. Fizika atmosphery i okeana.(Izvestiya, Atmospheric and Oceanic Physics –English Transl.)*, Vol. 9, N 2, p. 183-186.
- Basharinov A. E., Gurvich A. S., Egorov S. T. (1974). Radioemission of the Earth as a planet. Moscow, Nauka Publ., 188 pp. (in Russian).
- Basu S. and Levy B. , Eds . (1997) . Multidimensional filter banks and wavelets . Kluwer Academic Publishers, Dordrecht , 244 p.
- Bauer A. , Duterge B., and Godon M. (1986). Temperature dependence of water-vapor absorption in the wing of the 183 GHz line. *J. Quant. Spectrosc. Radiat. Transfer*, Vol. 36, N 4, p. 307-318.
- Belchansky G. I. and Alpatksy I. V. (2000) . Comparative analysis of the sea ice classification algorithms using "Okean-01" satellite data, mixture models and MLP neural networks. *Earth Research from Space* (*Earth Observ. Rem. Sens. - Engl. Transl.*). N4, p. 40-54.
- Bell R. J. (1972). Introductory Fourier transform spectroscopy. Academic Press, New York, London, 350p.
- Bendat J. S. and Piersol A. G. (1966). Random data: analysis and measurement procedures. Wiley-Interscience, N.Y., 450p.

- Beniston M. (1998) . From Turbulence to Climate. Numerical Investigations of the Atmosphere with a Hierarchy of Models. Springer, Berlin, 328p.
- Bennartz R., and Petty G. W. (2001). The sensitivity of microwave remote sensing observations of precipitation to ice particle size distributions. *J. Applied Meteorology*, Vol. 40, N 3, p. 345-364.
- Bespalova E. A., Melentiev V. V. , Rabinovich Y. I., Raizer V. Y., Popov A. E., , Sharkov E. A. , Shiryeva T. A., Etkin V. S. (1976a). Some results of measurements of the radioemission of soils and grounds with airborne high-sensitive radiometer at 3 cm band. *Trudy GGI* (Trans. of State Hydrological Institute), Issue 237, Leningrad, Hydrometeoizdat, p. 172-176 (in Russian).
- Bespalova E. A., Rabinovich Yu. I., Sharkov E. A. , Shiryeva T. A., and Etkin V. S. (1976b). Investigations of ice-forming processes with the radioemission data by air-borne instruments. *Meteorologia i hidrologiy* (Russian Meteorology and Hydrology – English Transl.), N 2, p. 68-72.
- Bespalova E. A., Miltskii Y. A., Mirovskii V. G., Pokrovskaya I. V., Raev M. D., Sharkov E.A., Etkin V. S.(1978). Spectral characteristics of the radiothermal emission of the sea surface with oil pollution. *Meteorologia i hidrologiy* (Russian Meteorology and Hydrology – English Transl.), N 10, p. 71-77.
- Bespalova E. A., Veselov V. M.,Glotov A. A. , Miltskii Y. A., Mirovskii V. G., Pokrovskaya I. V., Popov A. E. , Raev M. D., Sharkov E.A., Etkin V. S. (1979). Investigations of wind sea roughness's anisotropy with variability of thermal radioemission. *Doklady Acad. Nauk* (Trans. of Russian Academy of Sciences / Earth Science Section- Eng. Transl.) , Vol.246, N6, p.1482-1485.
- Bespalova E. A., Veselov V. M.,Gershenson V. E., Miltskii Y. A., Mirovskii V. G., Pokrovskaya I. V., Raev M. D., Trochimovskii J. G., Semin A. G., Smirnov N. K., Skachkov V. A., Khapin J. B., Chistjkov V. N., Sharkov E.A., Etkin V. S. (1982). On determination of wind speed with polarization anisotropy measurements of thermal and backscattering microwaves .*Earth Research from Space*. N1, p. 87-94.
- Bespalova E. A., Veselov V. M., Volyak K. I., Militskii Y. A., Mirovskii V. G., Popov A.E., Raev M. D., Sharkov E. A., Etkin V. S. (1983). Experimental detection of oil pollution on sea surface with passive-active methods of microwave remote sensing. *Wodnye resursy* (Water Resources - Engl. Transl.), N 1, p. 154-162.
- Beste D.C. (1978). Design of satellite constellations for optimal continuous coverage. *IEEE Trans. Aerospace Electronic Systems*, Vol.14, N 3, p.466-473.
- Bevilacqua R. M., Kriebel D. L., Pails T.A., Aelling C. P., Siskind D. E., Daehler M., Olivero J.J., Puliafito S. E., Hartmann G. K., Kampfer N., Berg A., and Croskey C. L. (1996). MAS measurements of the latitudinal distribution of water vapor and ozone in the mesosphere and lower thermosphere . *Geophysical Research Lett.*, Vol. 23, N 17, p. 2317-2320.
- Bhandari R. (1985). Scattering coefficients for a multilayered sphere: analytic expressions and algorithms. *Applied Optics*, Vol. 24, N 13, p. 1960-1967.
- Bhattacharya C. K. , Uppal G. S. , Raina M. K. , and Dubey V. (1983). Determination of excessive absorption by atmospheric water vapour at 22,235 GHz. *J. Atmospheric Terrestrial Physics*, Vol. 45, N 8/9, p. 617-620.
- Bizzari B., and Spera P. (2000). The role of microwave radiometry in the CLOUDS project. In “Microwave Radiometry and Remote Sensing of the Earth’s Surface and Atmosphere”. Eds.: Pampaloni P. and Paloscia S. VSP BV , Utrecht, Boston, Koln, Tokyo , p. 493-502.
- Bizzari B., Bordi I., Bordi R., Coppo P., Desbois M., Gasiewski A., Grant N., Harries J., Kunzi K., Liberti G. L., Miao J., Mungnai A. Murray J., Rizzi R., Rose T., Slingo A., Spera P., Sutera A., Tibaldi S., Vial L. and Zimmermann P. (2000). CLOUDS – a cloud and radiation monitoring satellite. *IEEE IGARSS 2000 Proceedings*, Vol. II, IEEE, New York, p. 515-517.
- Blanchard D. C. , and Woodcock A. H. (1957). Bubble formation and modification in the sea and its meteorological significance. *Tellus*, Vol. 9, N 2, p. 145-158.

- Blanter E. M. and Shnirman M. G. (1997). Simple hierarchical systems: stability, self-organized criticality and catastrophic behavior. *Physical Review E*, Vol. 55, , N 6, p. 6397-6411.
- Blinn J. C. , Conel J. E. , and Quade J. G. Microwave emission from geological materials: observation of interference effects. *J. Geophys. Research*, Vol. 77, N23, p. 4366-4378.
- Blue M. D. (1980). Permittivity of ice and water at millimeter wavelengths. *J. Geophysical Research*, Vol. 85, N2, p. 1101-1106.
- Blume H. J. C. , Love A. W. , Van Melle M. J., and Ho W. W. (1977). Radiometric observation of sea temperature at 2,65 GHz over the Chesapeake bay. *IEEE Trans. Antennas Propagation*, Vol. 25, N 1, p. 121-128.
- Blume H. J., and Kendall B. (1982) Passive microwave measurements of temperature and salinity in coastal zones. *IEEE Trans. Geophys. Remote Sensing*, Vol. 20, N3, p. 394-404.
- Blume H., Kendall B. , and Swift C. (1978). Advanced systems requirements for ocean observations via microwave radiometers. *AIAA Paper*, N 1737, 6p.
- Bobrov P.P., and Galeev O. V. (2001). Changes of radiobrightness temperature of soils with the various humus content. *Earth Research from Space*. N 4, p. 74-80.
- Bohren C.F. and Hoffman D. R. (1983). Absorption and scattering of light by small particles. New York, Wiley , 530p.
- Boncyk W. C., Wilson W. J. , and Lambrightsen B.H. (2000). The enabling technologies of the geostationary synthetic aperture microwave sounder (GEO/SAMS). *IEEE IGARSS 2000 Proceedings*, Vol. VII, IEEE, New York, p. 3169-3171.
- Bondur V. G. and Sharkov E. A. (1982) Statistical properties of whitecaps on a rough sea. *Oceanology* , Vol. 22, N 3, p. 274-279.
- Bondur V. G. and Sharkov E. A. (1990) Statistical characteristics of linear geometric elements of foam structures on the sea surface for optical sensor data. *Sov. J. Remote Sensing*, Vol.6, N 4, p. 534-550.
- Bordonskii G. S. (1990). Thermal emission of ice cover over the fresh reservoirs. *Nauka Publ. House-Siberian Branch*, Novosibirsk, 104p. (in Russian).
- Bordonskii G. S. , Vasilkova I. B., Veselov V. M., Vorsin N.N., Militskii Y. A., Mirovskii V. G., Nikitin V. V. , Raizer V. Y., Khapin Y. B., Sharkov E. A. , and Etkin V.S. (1978). Spectral characteristics of the emissivity of foam formations. *Izvestia Acad. Nauk. Fizika atmosphery i okeana* (Izvestiya, Atmospheric and Oceanic Physics - Engl. Transl.), Vol.14, N 6, p.656-663.
- Bordonskii G. S. , Krylov S. D. , and Gurulev A. A. (2002). Estimation of fresh-water lake mineralization using thermal microwave emission of ice cover. *Earth Research from Space*. N4, p. 91-96.
- Bordonskii G. S., and Filipova T. G. (2002). The influence of the percolation on dielectric properties of frozen dispersion media. *Kondensirovannye sredy i mezhfaznye granizy* (Condensed media and inter-phasic boundaries) . Vol.4, N 1, p. 21-26 (in Russian).
- Borges A., Solana A., Plaza M. A., Sanz J. A., and Garcia Q. (2000). The MIRAS demonstrator pilot project. *IEEE IGARSS 2000 Proceedings*, Vol. VI, IEEE, New York, p. 2972-2974.
- Born M. and Wolf E. (1999). Principles of optics: electromagnetic theory of propagation, interference and diffraction of light. Seventh Edition. Cambridge U. P. , New York, 952p.
- Bouman C. and Newell A. C. (1998) . Natural patterns and wavelets. *Review of Modern Physica*, Vol. 70, N 1, p. 289-301.
- Boyarskii D. A. (1995). Passive microwave observation of snow and frozen soil at 3,95 GHz. *IEEE IGARSS 1995 Proceedings*, Vol. I, IEEE, New York, p. 383-385.
- Boyarskii D. A., Dmitriev V. V., Kleoorin N. I., Mirovskij V. G. and Etkin V. S. (1993). Theoretical and experimental studies of snow covers microwave emissivity. *J. Electromagnetic Waves and Applications*, Vol. 7, N 7, p. 959-970.

- Boyarskii D. A., Tikhonov V. V. , Kleorin N. I., Mirovskij V. G. (1994). Inclusion of scattering losses in the models of the effective permittivity of dielectric mixtures and applications to wet snow. *J. Electromagnetic Waves and Applications*, Vol. 8, N 11, p.1395-1410.
- Boyarskii D. A., and Tikhonov V. V. (2000). The influence of stratigraphy on microwave radiation from natural snow cover . *J. Electromagnetic Waves and Applications*, Vol. 14, p.1395-1410.
- Boyarskii D. A., Tikhonov V. V., and Komarova N. Yu. (2001). Model of dielectric constant of bound water for applications of microwave remote sensing . *Progress in Electromagnetics Research*, Vol. 35, p. 251-270.
- Bracewell R. N. and Roberts J. A. (1954) . Aerial smoothing in radioastronomy. *Aust. J. Phys.*, Vol. 7, N12, p. 615-640.
- Bradshow A. L. , and Schleicher K. E. (1980). Electrical conductivity of seawater. *IEEE J. Ocean. Eng.* , Vol. 5, N1, p. 50-61.
- Brekhovskikh L. M. (1957). Waves in layer mediums. Moscow, Publ. USSR Acad. Sciences, 502 p.
- Broglie L. de (1941). Problemes de propagations guidees des ondes electromagnetiques. Paris, Gauthier-Villars, 114p.
- Brown L. (1999). A radar history of World War II: technical and military imperatives. IOP, Philadelphie, 563p.
- Bruzzi S. (1995). The Envisat mission in the context of present and future Earth observation programs of the European Space Agency. *EARSeL Newsletter*, N 24, p.2-12
- Brindly J., Kapitaniak T., Barcilon A. (1992). Chaos and noisy periodicity in forced ocean-atmosphere models. *Physics Lett. A.*, Vol.167, N2, p.179-184.
- Bryant E. (1993). Natural Hazards. Cambridge University Press , Cambridge. 294 pp.
- Bujakos V. I. , Gvamichava A. S., Gorshkov L. A. et al. (1978). Space-borne radiotelescope increased without bounds. *Kosmicheskie issledovania* (Space Researches – English Transl.) , Vol. 16, N 6, p. 924-936.
- Bulatov M. G. , Sharkov E. A. , and Cherny I.V. (1980). On the interference of noisy signals with the arbitrary form of spectra. *Radiotekhnika i elektronika* (J. of Communic. Techn. Electronics - Engl. Transl.), Vol. 25, N 3, p. 552-559.
- Bunimovich V. I. (1951). Fluctuational processes in radioreceivers. "Sovetskoe radio" Publ. House, Moskow, 361p. (in Russian).
- Burdette E., Coin F., and Seols J. (1980). Invivo probe measurement technique for determining dielectric properties at VHE through microwave frequence. *IEEE Trans. MTT*, Vol. 28, N4, p. 414-427.
- Burgel van J.L., Le Marshall J., Lynch M.J. Upper temperature anomalies near Australian tropical cyclones using satellite microwave data. «Proceedings of the PORSEC'94. Melbourne, Australia. March 1-4, 1994.» Ed. by J. Le Marschall and J.D. Lasper. Melbourne, p.219-225.
- Burke E. J. and Simmonds L. P. (2001). Passive microwave emission from smooth bare soils: developing a simple model to predict near surface water content. *Intern. J. Remote Sensing*, Vol. 22, N 18, p. 3747-3761.
- Burroughs S. M. , and Tebbens S. F. (2001). Upper-truncated power laws in natural systems. *Pure Applied Geophysics*, Vol. 158, N 4, p. 741-757.
- Cahalan R. F. (1989). Overview of fractal clouds. In "Advances in remote sensing retrival methods", Ed. by Deepak A., Fleming H. E. , and Theon J. S. A. Deepak , Hampton, Va., p. 371-389.
- Callen H. B. and Welton T.A. (1951). Irreversibility and generalized noise. *Phys. Rev.*, Vol. 83, N 1, p. 34-41.
- Callen H. B. and Green R. F. (1952). On a theorem of irreversible thermodynamics, I. *Phys. Rev.*, Vol. 86, N 5, p. 704-710.
- Calvet J. C., Wigneron J. P., Chanzy A., Haboudane D. (1995). Retrieval of surface parameters from microwave radiometry over open canopies at high frequencies . *Remote Sensing Environ.*, Vol. 53, N 1, p. 46-60.

- Calvet J.C., Chanzy A., Wigneron J.P. (1996). Surface temperature and soil moisture retrieval in the Sahel from airborne multifrequency microwave radiometry. IEEE Trans. Geoscience Remote Sensing , Vol. 34, N 2, p. 588-600.
- Campbell B. A. , and Shepard M. K. (1996). Lava flow surface roughness and depolarized radar scattering. J. Geophysical Research, Vol. 101, N E8, p. 18,941-18,951.
- Card M., Kruszewskii E., and Guanstaferro A. (1978). Technology assessment and outlook. Astronautics and Aeronautics, Vol. 16, N 10, p. 48-54.
- Carvalho L. M. T. , Fonseca L. M. G., Murtagh F., and Clevers J. G. P. W. (2001). Digital change detection with the aid of multiresolution wavelet analysis. Int. J. Remote Sensing, Vol. 22, N 18, p. 3871-3876.
- Carver K. R., Elachi C.,and Ulaby F. T (1985). Microwave remote sensing from space. Proc. IEEE, Vol. 73, N 6, p. 970-996.
- Chandrasekhar S. (1960). Radiative transfer . Dover Publications, New York, 393 p.
- Chang A. T. C. and Chiu L. S. (1997) . Uncertainty in satellite rainfall estimates : time series comparison. Adv. Space Res., Vol. 19, N 3, p. 469-472.
- Chang D.-H., and Islam S. (2000). Estimation of soil physical properties using remote sensing and artificial neural network. Remote Sensing Environment, Vol. 74, p. 534-544.
- Chauhan N. S. (2002). Soil moisture inversion at L-band using a dual-polarization technique: a model-based sensitivity analysis. Int. J. Remote Sensing, Vol. 23, N 16, p. 3209-3227.
- Chen D., Engman E. T. , and W. Brutsaert (1997). Spatial distribution and pattern persistence of surface soil moisture and temperature over prairie from remote sensing . Remote Sens. Environment, Vol. 61, N 5, p. 347-360.
- Chen G., and Dong X. (1996). From chaos to order. Perspectives and methodologies. World Scientific, Singapore etc., 300 p.
- Cherny I. V. and Sharkov E. A. (1988). Remote radiometry of the sea wave breaking cycle. Earth Research from Space (Earth Obs. Remote Sensing - Engl. Transl.), N2, p. 17-28.
- Cherny I. V. and Sharkov E. A. (1991 a). Electrodynamics of discrete dispersive concentrated media with absorbing scattering particles . Preprint N Pr-1753, Space Research Institute, Moscow, 40 p. (in Russian).
- Cherny I. V. and Sharkov E. A. (1991 b). Characteristics of backscattering of electromagnetic waves by concentrated aerodispersive media . Pisma v Zhurnal Tech. Fiziki. (Technical Physics Letters - Eng. transl.) , Vol. 17, N 3, p. 73-77 .
- Cherny I. V. and Raizer V. Yu. (1998) . Passive microwave remote sensing of oceans. John Wiley and Sons/ PRAXIS , Chichester , New York etc. - 195 p.
- Cherny I. V. and Chernyavsky G. M. (2001). Combined optical-microwave imager/sounder MTVZA-OK . IEEE IGARSS 2001 Proceedings, Vol. V , IEEE, New York, p. 2016-2018.
- Chew W. C., Friedrich J. A. , and Geiger R. (1990). A multiple scattering solution for the effective permittivity of a sphere mixture. IEEE Trans Geosci. Remote Sensing, Vol. 28, p. 207-214.
- Choudhury J. R. (1987). Estimate of primary productivity over the thar Desert based upon Nimbus-7 37 GHz data: 1979-1985. Int. J. Remote Sensing, Vol. 8, N 12, p. 1885-1890.
- Christensen J. H., Smith A., Reed R., and Elmore K. (1966). Dielectric properties of phosphoric acid solutions at 25°C. J. Chemical Engineering Data ,Vol. 11, N 4, p. 60-63.
- Chuah H. T., Tan H. S. (1989) . A Monte Carlo method for radar backscatter from a half-space random medium. IEEE Trans. Geosci. Remote Sensing, Vol. 27, N 1, p. 86-93.
- Chui Ch. K. (1992). An introduction to wavelets. Academic Press, New York, 266pp.
- Chukhrai G. I. and Shutko A. M. (1978). Experimental evidences of the microwave emission-salinity relations . Doklady Acad. Nauk (Trans. of Russian Academy of Sciences / Earth Science Section- Eng. Transl.) , Vol.239, N6, p.1313-1315.

- Cimini D., Shaw J. A., Westwater E. R., Han Y., Irisov V., Leuski V. and Churnside J. H. (2003). Air temperature profile and air/sea temperature difference measurements by infrared and microwave scanning radiometers. *Radio Science*, Vol. 38, N3, 8045, doi:10.1029/2002RS002632.
- Ciotti P., Westwater E. R. , Decker M. T., Bedard A. J. , and Stankov B. B. (1987). Ground-based microwave radiometric observations of the temporal variation of atmospheric geopotential height and thickness. *IEEE Trans. Geosci. Remote Sensing*, Vol. 25, N 5, p. 600-615.
- Cole K.S. and Cole R. H. (1941). Dispersion and absorption in dielectric. I. Alternating currents characteristics. *J. Chem. Phys.*, Vol. 9, N 4, p. 341-351.
- Colton M. C. , and Poe G.A. (1999). Intersensor calibration of DMSP SSM/I's: F-8 to F-14, 1987-1997. *IEEE Trans. Geoscience Remote Sensing*, Vol. 37, N 1, p. 418-439.
- Comiso J. C. (2000). Variability and trends in Antarctic surface temperatures from in situ and satellite infrared measurements. *J. Climate*, Vol. 13, N 10, p. 1674-1696.
- Comiso J. C. , and Kwok R. (1996). Surface and radiative characteristics of the summer Arctic sea ice from multisensor satellite observations. *J. Geophysical Research*, vol. 101, N C12, p. 28,397-28,416.
- Comiso J. C., and Stock L. V. (2000). Interannual variability of Arctic summer characteristics using satellite observations. *IEEE IGARSS 2000 Proceedings*, Vol. III, IEEE, New York, p. 1329-1333.
- Connor L. N. , and Chang P. S. (2000). Determination of ocean surface wind speeds from the TRMM microwave imager. In "Microwave Radiometry and Remote Sensing of the Earth's Surface and Atmosphere". Eds.: Pampaloni P. and Paloscia S., VSP BV, Utrecht, Boston, Koln, Tokyo , p. 21-27.
- Conwell P.R., Barber P. W. , and Rushforth C. K. (1984). Resonant spectra of dielectric spheres. *J. Opt. Soc. Am. A*, Vol. 1, N1. p. 62-67.
- Cox C. and Munk W. (1954). Measurement of the roughness of the sea surface from photographs of the Sun's glitter. *Journal of the Optical Society of America*. Vol. 44, N 11, p. 838-850.
- Cressie N. A. C. (1993). Statistics for spatial data. John Wiley and Sons, New York, 900 p.
- Danilov Yu. , Kuleshov Yu. , and Rudakov V. (1979). The first space-borne radioteleskop . Nauka i zhizn' (Science and life), N11, p. 2-6 (in Russian).
- Danson F. M. and Plummer S. E. , Eds. (1995). Advances in environmental remote sensing. Chichester : John Wiley and Sons, 184 p.
- Davenport W. B. , and Root W. L. (1958). Random signals and noise. McGraw-Hill, N. Y., 460p.
- Davidson D. W. and Cole R. H. (1950). Dielectric relaxation in glicirine. *J. Chem. Phys.*, Vol. 18, N 10, p. 1417-1418.
- Davis A., Marshak A., Wiscombe W., and Cahalan R.(1994). Multifractal characterizations of nonstationary and intermittency in geophysical fields: observed, retrieved, or simulated. *J. Geophysical Research*, Vol. 99, N D4, p. 8055-8072.
- Davis A., Marshak A., Wiscombe W., and Cahalan R.(1996). Multifractal characterizations of intermittency in nonstationary geophysical signals and fields. A model-based perspective on ergodicity issues illustrated with cloud data. In "Current topics in nonstationary analysis", Ed. by Trevino G., Hardin J., Douglas B., and Andreas E. World-Scientific , Singapore, p. 97-158.
- Davis D. T., Chaen Z., Tsang L., Hwang J. N., and Cang A. T. C. (1993). Retrieval of snow parameters by iterative inversion of a neural network. *IEEE Trans. Geoscience Remote Sensing* , Vol. 31, N 4, p. 842-851.
- Debye P. (1929). Polar molecules. New York, The Chemical Catalog Company,Inc., 172pp.
- Deeter M. N. , and Evans K. F. (2000). A novel ice-cloud retrieval algorithm based on the millimeter-wave imaging radiometer (MIR) 150- and 250-GHz channels. *J Applied Meteorology*, Vol. 39, N 5 , p. 623-633.
- Deirmendjian D. (1969). Electromagnetic scattering on spherical polydispersions. American Elsevier Publishing Company, New York, 290pp.

- Demyanov A. A. , Semenov M. G. , and Tatarin V. A. (1974). Measurements of the complex dielectric properties of strong-absorptive fluids. *Pribory i technika experimenta* (Instruments and Experimental Techniques- English transl.), N 3, p. 132-133.
- Derksen C. and LeDrew E. (2000). Assessing the impact of melt and refreeze on SSM/I derived North American prairie snow water equivalent. *IEEE IGARSS 2000 Proceedings*, Vol. II, IEEE, New York, p. 454-456.
- Derksen C., LeDrew E., and Goodison B. (2000a). Temporal and spatial variability of North American prairie snow cover (1988 to 1995) inferred from passive microwave- derived snow water equivalent imagery. *Water Resources Res.*, Vol. 36, N 1, p. 255-266.
- Derksen C., LeDrew E., Walker A. and Goodison B. (2000b). The influence of sensor overpass time on passive microwave-derived snow cover parameters. *Rem. Sens. Env.*, Vol. 71, N 3 ,p. 297-308.
- Desbois M. (1995). TROPIQUES, a small satellite for studying water and energy cycles in the intertropical band, and atmosphere-ocean interactions. COSPAR Colloquium «Space Remote Sensing of Subtropical Oceans». Taipei, Taiwan, p.1-15A4-1-15A4-5.
- Desbois M. (1999). Megha-tropiques: Scientific objectives and general mission requirements. In *Megha-Tropiques*. First Science Workshop Proceedings, 19-22 May, 1999, ISRO H.Q., Bangalore, INDIA. Eds. Narayanan M. S., Manikam B., Gairola R. M. ISRO, CNES, p. 1.1-1.7.
- Diaz H. F. and Margraf V. ,Eds. (1993). El Nino : historical and paleoclimatic aspects of the Southern Oscillation. Cambridge Univ. Press, Cambridge, 490 p.
- Dobson M. C. and Ulaby F. T. (1986) Active microwave soil moisture research. *IEEE Trans. Geoscience Remote Sensing*. Vol. 24, N 1, p. 23-26.
- Dong X., Wu J., Zhu Y., Sun B., and Jiang J. (2000a). The design and implementation of CAS C-band interferometric synthetic radiometer. *IEEE IGARSS 2000 Proceedings*, Vol. II, IEEE, New York, p. 866-868.
- Doviak R. J. and Zrnic' D. S. (1984). Doppler radar and weather observation. Academic Press, Inc., Orlando, FL, 458 p.
- Doviak R. J. and Lee J. T. (1985). Radar for storm forecasting and weather hazard warning. *J. Aircraft* , Vol. 22, N12, p. 1059-1064.
- Droppleman J. D. (1970). Apparent microwave emissivity of sea foam. *J. Geophysical Research*, Vol. 75, N 3, p. 696-698.
- Droppleman J. D. , Mennella R. A., and Evans D. E. (1970) . An airborne measurement of the salinity variations of the Mississippi river outflow. *J. Geophysical Research*, Vol. 75, N 30, p. 5909-5913.
- Drusch M., Wood E. F., and Simmer C. (1999a). Up-scaling effects in passive microwave remote sensing : ESTAR 1.4 GHz measurements during SGP'97. *Geophysical Res. Letters*, Vol. 26, N 7, p. 879-882.
- Drusch M., Wood E. F. , and Lindau R. (1999b). The impact of the SSM/I antenna gain function on land surface parameter retrieval. *Geophysical Research Letters*, Vol. 26, 26, N 23, p. 3481-3484.
- Dubois J. (1998) Non-linear dynamics in geophysics. John Wiley and Sons/PRAXIS. Chichester, New York, etc., 261 p.
- Dubrovin B. A., Novikov S. P. , Fomenko A. T. (1986). Modern geometry. Methods and applications. Moscow, "Nauka" Publishing House, 758p. (in Russian).
- Dzens-Litovskii A. I. (1967) . Kara - Bogaz- Gol bay. "Nedra" Publ. House, Leningrad, 95p. (in Russian).
- Ellison W. , Balana A., Delbos G., Lamkaouchi K., Eymard L., Guillou C. , and Prigent C. (1998). New permittivity measurements of seawater. *Radio Science* , Vol. 33, N3, p. 639-648.
- England A. W. (1974). Thermal microwave emission from a halfspace containing scatterers . *Radio Science*, Vol.9, N 4, p. 447-454.
- England A. W. (1975). Thermal microwave emission from a scattering layer. *J. Geophysical Research*, Vol.80, N 12, p. 4484-4496.

- English S. J. (1995). Airborne radiometric observations of cloud liquid-water emission at 89 and 157 GHz : application to retrieval of liquid-water path. Quart. J. Roy. Meteor. Soc., Vol. 121, N 527, p. 1501-1524.
- English S. J. (1999). Estimation of temperature and humidity profile information from microwave radiances over different surface types. J. Applied Meteorology, Vol. 38, N10, p. 1526-1541.
- English S. J. , Eyre J. R. , and Smith J. A. (1999). A cloud-detection scheme for use with satellite sounding radiances in the context of data assimilation for numerical weather prediction. Quart. J. Roy. Meteor. Soc., Vol. 125, N 559, p. 2359-2378.
- Engman E. T. (1997). Soil moisture, the hydrologic interface between surface and ground waters. Remote Sensing and Geographic Information Systems for Design and Operation of Water Resources Systems. IAHS Publ. N 242, p. 129-140.
- Ermakov V. I., Levin V.V., Sherbakov V. V. , and Khubezov S. B. (1975). On the problem of the nature of the dielectric permittivity for electrolyte solutions. Zhurnal Fizicheskoi Khimii (Journal of Phys. Chemistry-English transl.), Vol. 49, N 7, p. 1749-1752 .
- Ermakov D. M. , and Smirnov M. T. (2001). Problems of superposition of satellite optical and microwave sensors data for their complex analysis. Earth Research from Space (Earth Obs. Remote Sensing - Engl. transl.). N 2, p. 45-54.
- ESA (1996a). Atmospheric Dynamic Mission. ESA SP-1196(4), ESA, Noordwijk, 70 p.
- ESA (1996 b).Atmospheric Profiling Mission. ESA SP-1196(7), ESA, Noordwijk, 58 p.
- ESA (1996c). Precipitation Mission. ESA SP-1196(8), ESA, Noordwijk, 82p.
- ESA (1997) . METESAT collection. The Weather Machine .N 4. ESA SR-1213, ESA, Noordwijk , CD ROM.
- Esepkina N. A. , Korolkov D. V. , and Pariiskii Yu. N. (1973). Radiotelescopes and radiometers . "Nauka" Publ. House, Moscow , 250 p. (in Russian).
- Esepkina N. A., Kruglov S. K., Masyrev M. M. , Molodyakov S. A., and Saenko I. I. (1997). Acousto-optic spectrum polarimeter for investigations of solar radio emission. Preprint N 122 SPb, Special Astrophysical Observatory, St Peterburg, 14p. (in Russian).
- Esepkina N. A., Zinchenko I. I., Saenko I. I. , Antyufeev A. V. , Vdovin V. F. , Eliseev A. I. , Kruglov S. K. , Lapkin I. V. , Myshenko V. V. , Nesterov N. S., Pirogov L. E., Shanin V. N., Shtanyuk A. M., and Shul'ga V. M. (2000). Spectroscopic observations in the 3-mm wavelength range at RT-22 CRAO using acousto-optical spectrum analyzer. Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 43, N 11, p. 935-941.
- Etkin V. S. , Vorsin N. N. , Kravtsov Yu. A. , Mirovskii V. G. , Nikitin V. V. , Popov A.E., and Troizkii I. A. (1978). The discovery of critical effects in the thermal radiation of a periodically uneven water surface. Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 21, N 3, p. 454-456.
- Evans D. D. (1973). Mathematical models for the reflection coefficients of dielectric half-spaces. Radio Science, Vol. 8, N 12, p. 1083-1092.
- Eymard L. (1999). Atmosphere and sea surface properties from microwave radiometry. Megha-Tropiques. First Science Workshop Proceedings,19-22 May, 1999, ISRO H.Q., Bangalore, INDIA. Eds. Narayanan M. S., Manikam B., Gairola R. M. ISRO, CNES, p. 19.1-19.16.
- Feder T. (2000). Radio astronomers plan mammoth telescope. Physics Today. Vol. 53, N 10, p. 70-71.
- Feller W. (1971). An introduction to probability theory and its applications. Vol. II. John Wiley and Sons, N. Y. , 478p.
- Ferraro R. R., Weng F., Grody N. C., Basist A. (1996). An eight-year (1987-1994) time series of rainfall, clouds, water vapour, snow and sea ice derived from SSM/I measurements. Bull. Amer. Meteor. Soc., Vol. 77, p. 891-905.

- Ferrazzoli P. and Guerrier L. (1996) . Passive microwave remote sensing of forests: a model investigation. IEEE Trans. Geosci. Remote Sensing. Vol. 34, N 2, p. 433-443.
- Ferrazzoli P., Wigneron J.-P., Guerrier L., and Chanzy A. (2000). Multifrequency emission of wheat: modeling and applications. IEEE Trans. Geosci. Remote Sensing. Vol. 38, N 6, p. 2598-2607.
- Finkelstein M. I., and Mendelson V. L. (1980). Correlation between energetic coefficients of the reflection and transmission of the electromagnetic waves on the boundary of two absorptive media . Radiotekhnika i elektronika (J. of Communic. Techn. Electronics - Engl. Transl.), Vol. 25, N 7, p. 1524-1526.
- Flaming M. (2000). The conical microwave imager sounder. The Earth Observer, Vol. 132, N3, p. 18-21.
- Foster J. L. , Hall D. K. , Chang A. T. C. , Rango A., Wergin W., and Erbe E. (1999). Effects of snow crystal shape on the scattering of passive microwave radiation. IEEE Trans. Geoscience Remote Sensing, Vol. 37, N 2, p. 1165-1168.
- Foster J. L., Barton J. S., Chang A. T. C., and Hall D. K. (2000).Snow crystal orientation effects on the scattering of passive microwave radiation. IEEE Trans. Geosci. Remote Sensing. Vol. 38, N 5, Part 2, p. 2430-2434.
- Franceschetti G., Migliaccio M., and Riccio D. (1996). An electromagnetic fractal-based model for the study of fading. Radio Science, Vol. 31, N 6, p. 1749-1759.
- Franceschetti G., Iodice A., Migliaccio M., and Riccio D. (1999a). Fractals and the small perturbation scattering model. Radio Science, Vol. 34, N 5, p. 1043-1054.
- Franceschetti G., Iodice A., Migliaccio M., and Riccio D. (1999b). Scattering from natural rough surfaces modeled by fractional Brownian motion two-dimensional processes. IEEE Trans. Antennas Propag. , Vol. 47, N 9, p. 1405-1415.
- Frenkel Ya. I. (1975). Kinetic theory of liquids. Leningrad, Nauka Publ. House , 592p.
- Frick P., Beck R., Berkhuijsen E., Patrikeyev I. (2001).Scaling and correlation analysis of galactic images. Monthly Notices Royal Astron. Soc., Vol.327, N4, p.1145-1157.
- Frisch U. (1995) . Turbulence: the legacy of A. N. Kolmogorov . Cambridge University Press, Cambridge , 350 p.
- Fujita S., Matsuoka T., Ishida T., Matsuoka K. , and Mae S. (2000). A summary of the complex dielectric permittivity of ice in the mehahertz range and its applications for radar sounding of polar ice sheets. In "Physics of ice core records". Ed. by T. Hondoh. Hokkaido University Press, Sopro, pp. 185-212.
- Fung A. K. , and Chen M. F (1981). Emission from an inhomogeneous layer irregular interfaces. Radio Science, Vol. 16, N 3, p. 289-298.
- Fung A. K. , and Eom H. J. (1981). Note on the Kirchhoff rough surface solution in backscattering. Radio Science , Vol. 16, N 3, p. 299-302.
- Fung A. K., and Eom H. J. (1985). A study of backscattering and emission from closely packed inhomogeneous media. IEEE Trans. Geosci. Remote Sensing, Vol. 23, N 5, p. 761-767.
- Gaikovich K. P. , Reznik A. N., Sumin M. I., and Troizkii R. V. (1987) Determination of the temperature profile of water surface layer with its emission at microwave range. Izvestya AN . Fizika atmosphery i okeana. (Izvestiya, Atmospheric and Oceanic Physics –English Transl.), Vol. 23, N 7, p. 761-768.
- Gairola R. M. (1999). Rainfall and other ocean parameters from SSM/I, TRMM and TOPEX/Poseidon. Megha-Tropiques. First Science Workshop Proceedings,19-22 May, 1999, ISRO H.Q., Bangalore, INDIA. Eds. Narayanan M. S., Manikam B., Gairola R. M. ISRO, CNES, p. 16.1-16.21.
- Gasiewski A. J. , and Johnson J. T. (1993). Statistical temperature profile retrievals in clear-air using passive 118-GHz observations. IEEE Trans. Geoscience Remote Sensing , Vol. 31, N 1, p. 106-115.
- Gaspard P. (1997) . Chaos and hydrodynamics . Physica A, Vol. 240, N 1-2, p. 54-67.
- Ghanem R. , and Romeo F. (2001). A wavelet-based approach for model and parameter identification of non-linear systems. Int. J. Non-Linear Mechanics, Vol. 36, N 5, p. 835-859.

- Ghil M., Bensi R., Parisi G., Eds (1985). Turbulence and predictability in geophysical fluids dynamics and climate dynamics. North-Holland, Amsterdam, 205 p.
- Glantz M. , Katz R. and Nicholls N., Eds. (1991). Teleconnections linking worldwide climate anomalies. Cambridge Univ. Press, Cambridge , 545 p.
- Glass L. and Mackey M. C. (1988). From clocks to chaos. The rhythms of life. Princeton University Press. Princeton, 248 p.
- Glazman R. E.(1991). Statistical problems of wind-generated gravity waves arising in microwave remote sensing of surface winds. IEEE Trans. Geosci. Rem. Sens. ,Vol. 29, N 1, p. 135-142.
- Glazman R. E. and Weichman P. B. (1989). Statistical geometry of a small surface patch in a developed sea. J. Geophysical Research, Vol. 94, N C4, p. 4998-5010.
- Glazman R. E. and Weichman P. B. (1990). Reply. J. Geophysical Research, Vol. 95, N C2, p. 1771-1773.
- Gloersen P., Wilheit T.T., Chang T. C., Nordberg W. and Campbell W. J. (1974). Microwave maps of the polar ice of the Earth. Bull. Amer. Meteor. Soc., Vol. 55, N 12, p. 1442-1448.
- Gopal S. , Woodcock C. (1996). Remote sensing of forest change using artificial neural networks . IEEE Trans. Geosci. Remote Sensing. Vol. 34, N 2, p. 398-404.
- Gorelik A. G. , Raikova L. S. , and Frolov Y. A. (1975). Microwave radiometric methods for water vapour measurements in the lower troposphere. Meteorologia i hydrologia (Russian Meteorology and Hydrology- English transl.), N 5, p. 106-112.
- Gloersen P. (1984). Sea surface temperatures from Nimbus 7 SMMR radiances. J. Climate Applied Meteorology, Vol. 23, N 2,p. 336-340.
- Glotov A. A. , Matveev D. G., Mirovskij B. G., Raev M. d. , Raizer V. Y. ,Troitzkij I. A., Sharkov E. A. , and Etkin V. S. (1975). On the investigation of the thermal emission of the water surface with oil film. Meteorologia i hydrologia (Russian Meteorology and Hydrology – Engl. transl.), N 6, p. 90-93.
- Goodberlet M. A. , Swift C. T. , and Wilkerson J. C. (1989). Remote sensing of ocean surface winds with the special sensor microwave/imager. J. Geophysical Research, Vol. 94, N C10, p. 14,547-14,555.
- Goutoule J. M., and de Boer F. (2000). Large interferometer antenna synthesized by satellites in formation for Earth remote sensing. IEEE IGARSS 2000 Proceedings, Vol. II, IEEE, New York, p. 869-870.
- Gradshteyn I. S. and Ryzhik I. M. (2000). Tables of Integrals , Series, and Products. Sixth Edition. Edited by A. Jeffrey and D. Zwillinger. Academic Press, Orlando, Florida. 1163 p.
- Grankov A. G. , Mil'shin A. A. and Cherny I. V. (2000). Results of simulation of measurements from the Meteor-3M radiometer MTVZA and their validation with the data of DMSP SSM/I measurements in the North Atlantic . Earth Research from Space (Earth Obs. Remote Sensing - Engl. Transl.). N 4. ,p. 20-27.
- Grant E. , Buchman T. , and Cook H. (1957).Dielectric behavior of water at microwave frequencies. J. Chem. Phys. , Vol. 26, N1., p. 156-161.
- Grant E. , and Shack R. (1967). Complex permittivity measurement at 8,6 mm wavelength over temperature range 1-60° C. J. Appl. Phys., Vol. 18, N 12, p. 1807-1814.
- Greving M. , Ed. (2000). Annual report. Institut de Radio Astronomie Millimetrique, Domaine Universitaire de Grenoble, France. 76p.
- Grimm R. E. (2002). Low-frequency electromagnetic exploration for groundwater on Mars. J. Geophysical Research, Vol. 107, N E2, p.1-1 – 1-29.
- Grody N. C. (1988). Surface identification using satellite microwave radiometers. IEEE Trans. Geosci. Remote Sensing., Vol. 26, N 6, p. 850-859.
- Grody N. C. , and Pellegrino P. P. (1977). Synoptic-scale studies using the Nimbus 6 scanning microwave spectrometer. J. Applied Meteorology, Vol. 16, 8, p. 816-826.
- Guillou C., English S. J., Prigent C. and Jones D. C. (1996). Passive microwave airborne measurements of the sea surface response at 89 and 157 GHz. J. Geophysical Research, Vol. 101, N C2, p. 3775-3788.

- Guissard A. , and Sobieski P. (1987). An approximate model for the microwave brightness temperature of the sea. *Int. J. Remote Sensing*, Vol. 8, N 11, p. 1607-1627.
- Gurvich A. S. and Yurefiev V. N. (1970). Using ocean's thermal emission for the correction of the spaceboard microwave radiometer's sensibility. *Izvestya Acad. Nauk USSR . Fizika atmosphery i okeana*. (*Izvestiya, Atmospheric and Oceanic Physics –English Transl.*), Vol. 6, N 6, p. 523-527.
- Gurvich A. S., Kalinin V. I. and Matveev D. H. (1973). Influence of the internal structure of glaciers on their thermal radioemission. *Izvestya Acad. Nauk USSR . Fizika atmosphery i okeana*. (*Izvestiya, Atmospheric and Oceanic Physics –English Transl.*), Vol. 9, N 12, p. 713- 718 .
- Haken H. (1978). Synergetics, an introduction, 2nd ed., Vol. 1, Springer, Berlin-Heideberg-New York, 420.
- Hallikainen M. T., Ulaby F. T., and Abdelrazik M. (1986). Dielectric properties of snow in the 3 to 37 GHz range. *IEEE Trans. Antennas Propagation*, Vol. 34, N 11, p. 1329-1339.
- Haroules G. G. and Brown W. E. (1968). Radiometric measurement of attenuation and emission by the Earth's atmosphere at wavelengths from 4cm to 8mm. *IEEE Trans. Microwave Theory Techniques*, N9, p. 611- 621.
- Harris F. E. , and O'Konski C. T. (1957). Dielectric properties of aqueous ionic solution at microwave frequencies. *J. Phys. Chem.*, Vol. 61, N 3, p. 310-319.
- Hartmann G. K., Bevilacqua R. M., Schwartz P. R., Kampfer N., Kunzi K. F., Aellig C. P., Rerg A., Boogaerts W., Connor B. J., Crosskey C. L., Daehler M., Degenhardt W., Dicken H. D., Goldiezen D., Kriebel D., Langen J., Loidl A., Olivero J.J., Pauls T. A., Puliafito S. E., Richards M. L., Rudin C., Tsou J.J., Waltman W. B., Umluft G., and Zwick R. (1996). Measurements of O₃, H₂O and ClO in the middle atmosphere using the millimeter-wave atmospheric sounder (MAS). *Geophysical Research Lett.*, Vol. 23, N 17, p. 2313-2316.
- Harvey B. (1995). The new Russian Space Program. Chichester etc. : Wiley/PRAxis, 400p.
- Harujama Y. (1994). Progress of Japan's earth observation satellites. *Adv. Space Research*, Vol.14, N 1, p. 21-24.
- Hasted J. B. (1961). The dielectric properties of water. *Progress in dielectrics*. Vol. 3, p. 101-149.
- Hasted J. B. (1972). Liquid water: dielectric properties. In "Water. A comprehensive treatise.", Ed. by F. Franks . New York, Vol. 1, p. 255-309.
- Hasted J., Ritson D., and Collie C. (1948). Dielectric properties of aqueous ionic solutions. *J. Chem. Phys.* , Vol. 16, N 1, p. 1-11.
- Hasted J. B. and ElSabeh S. (1953). The dielectric properties of water in solution. *Trans. Faraday Soc.*, Vol. 49, Pt. 9, p. 1003-1011.
- Hasted J. B., and Roderick G. (1958). Dielectric properties of aqueous and alcohol electrolyte solutions. *J. Chem. Phys.*, Vol. 29, N 1, p. 17-26.
- Hasted J. B. , and Shahidi M. (1976). The low frequency dielectric constant of supercooled water. *Nature*. Vol.262. N 5571. P. 777-778.
- Havlin S. (1999). Scaling in nature: from DNA through heartbeats to weather. *Physica A*, Vol. 273, N 1-2, p. 46-69.
- Havriliak S. and Negami S. (1967) A complex plane representation of dielectric and mechanical relaxation process in some polymers. *Polimer*, Vol. 8, N 4, p. 161-310.
- Henley C. L. (1993). Statistics of a "self-organized" percolation model . *Physical Review Letters*, Vol. 71, N 17, p. 2741-2744.
- Hergarten S., and Neugebauer H. J. (1998). Self-organized criticality in a landslide model. *Geophys. Research Letters*, Vol. 25, N 6, p. 801-804.
- Ho W. and Hall W. F. (1973). Measurement of the dielectric properties of seawater and NaCl solution at 2,65 GHz. *J. Geophys. Research*, Vol. 78, N 27, p. 6301-6315.
- Holdom B. (1998). From turbulence to financial time series . *Physica A*, Vol. 254, N 3-4, p. 569-576.
- Holliger J. P. (1971). Passive microwave measurements of sea surface roughness. *IEEE Trans. Geoscience Electronics*, Vol. 9, N 3, p. 165-169.

- Holmes J. J., Balanis C. A., and Truman W. M. (1975). Application of Fourier transformations for microwave radiometric inversion.IEEE Trans. Antennas Propagation, Vol. 23, N 6, p. 797-806.
- Holton J. R., Haynes P. H., McIntyre M. E., Douglass A. R. , Rood R. B., Pfister L. (1995).Stratosphere-troposphere exchange. Rev. Geophys., Vol. 33, p. 403-439.
- Hong Y., Kummerow C. D., and Olson W. S. (1999). Separation of convective and stratiform precipitation using microwave brightness temperature. J. Applied Meteorology, Vol. 38, N8, p. 1195-1213.
- Hong Y. , Haferman J. L. , Olson W. S. , and Kummerow C. D. (2000). Microwave brightness temperatures from tilted convective systems.J. Applied Meteorology, Vol. 39, N 7, p. 983-998.
- Horn R. A. (1969) . Marine chemistry.The structure of water and tha chemistry of the hydrosphere. New York, London, Sydney, Toronto, Wiley-Interscience, 398p.
- Hoskins B. and Pearce R. , Eds. (1983). Large-scale dynamical processes in the atmosphere . Academic Press, London etc., 421 p.
- Houze R. A. (1993). Cloud dynamics. Intern. Geophys. Series, Vol. 53, Academic Press , 570 p.
- Hulst C. H. van de . (1981). Light scattering by small particles. New York, Dover Publications, 470 p.
- Huneycutt B. and Zuzek J. (2000) . Frequency use and needs of spaceborne active sensors. IEEE IGARSS 2000 Proceedings, Vol. VI, IEEE, p. 2457-2463.
- Hussain A. K. M. F. (1986). Coherent structures and turbulence. J. Fluid Mech., Vol. 173, p. 303-356.
- Hyatt H. A. (1970). Emission, reflection, and absorbtion of microwaves at a smooth air-water interface. J. Quant.Spectrosc. Radiat. Trasfer, Vol. 10, N 3, p. 217-247.
- Ingmann P. (1991). The physics and instrumentation of passive atmospheric sounding . ESA STR-231. Paris, ESA, p. 56.
- Intrieri J. M., Eberhard W. L., Uttal T., Shaw J. A., Snider J. B., Han Y. Orr B. W., Matrosov S. Y. (1995). Multiwavelength observations of a developing cloud system: the FIRE II 26 November 1991 case study. J. Atm. Sci., Vol. 52, N 23, p. 4079-4093.
- IPCC (Intergovernmental Panel of Climate Change) , (2001).Climate change 2001: the scientific basis. Eds.: Houghton J. T., Ding Y., Griggs D. J., Noguer M., van der Linden P. J., Dai X., Maskell K., and Johnson C. A. Cambridge Univ. Press, Cambridge, U. K. and New York. N. Y., USA , 881p.
- Irisov V. G. (1997). Small-slope expansion for thermal and reflected radiation from a rough surface. Waves in Random Media, Vol. 7, N1, p. 1-10.
- Irisov V. G. , Trochimovskii Yu. A., Etkin V. S. (1987). Radiothermal spectroscopy of sea surface. Doklady Acad. Nauk SSSR (Trans. of USSR Academy of Sciences - Engl. transl.), Vol. 297, N 3, p. 587-589.
- Ishimaru A. (1978) . Wave propagation and scattering in random media. Vol.I and II, Academic Press, New York, 540 pp.
- Ishimaru A. (1991). Wave propagation and scattering in random media and rough surfaces. Proc. IEEE, Vol. 79, N 10, p. 1359-1366.
- Ivanitskii G. R. , Medvinskii A. B., Deev A. A. and Tsyganov M. A. (1998). From Maxwell's demon to the self-organization of mass transfer processes in living systems. Physics-Uspekhi, Vol. 41, N 11, p. 115-1126.
- Ivanov P. Ch., Nunes Amaral L. A., Goldberger A. L. , Havlin S., Rosenblum M. G., Struzik Z. R. , and Stanley H. E. (1999). Multifractality in human heartbeat dynamics. Nature, Vol. 399, N 6735, p. 461-465.
- Ivazyn G.M. (1991). Propagation of millimeter and submillimeter wavelengths in clouds. Leningrad, Gidrometeoizdat, 478 p. (in Russian).
- Jameson A. R. (1991). The effect of drop-size distribution variability on radiometric estimates of rainfall rates for frequencies from 3 to 10 GHz. J. Applied Meteorology, vol. 30, N 7, p. 1025-1033.
- Jameson A. R., Kostinski A. B. , and Black R. A. (1998). The texture of clouds. J. Geophysical Research, Vol. 103, N D6, p. 6211-6219.
- Jimenez C., Eriksson P., and Askne J. (2000). Non-linear inversion of Odin sub-mm observations in the lower stratosphere by neural networks. In "Microwave Radiometry and Remote Sensing of the Earth-

- 's Surface and Atmosphere". Eds.: Pampaloni P. and Paloscia S. VSP BV , Utrecht, Boston, Koln, Tokyo , p. 503-511.
- Johannessen J. A., Digranes G., Espedal H., Johannessen O. M., Samuel P., Browne D., Vachon P. (1994). SAR ocean feature catalogue. ESA SP-1174. ESA, Noordwijk, The Netherlands, 106 p.
- Jones W.L., Black P., Delnore V., Swift C. (1981). Airborne microwave remote-sensing measurements of hurricane Allen. *Science*, Vol.214, N4518, p.274-280.
- Jones W. L. , Mehershahi R., Zec J., and Long D. G. (2000a). SeaWinds on QuikScat radiometric measurements and calibration. *IEEE IGARSS 2000 Proceedings*, Vol. III, IEEE, New York, p. 1027-1029.
- Jones W. L. , Susanj M., Zec J., and Park J.-D. (2000b). Validation of QuikScat radiometric estimates of rain rate. *IEEE IGARSS 2000 Proceedings*, Vol. III, IEEE, New York, p. 1229-1232.
- JSTC (Joint Scientific and Technical Committee) (1995). Plan for the Global Climate Observing System (GCOS).Version 1.0.May 1995,GCOS-14, WMO/TD-N 681, 60 p.
- Kaatze U., and Giese K. (1980). Dielectric relaxation spectroscopy of liquids: frequency domain and time domain experimental method. *J. Phys. E*, Vol. 18, N 2, p. 133-141.
- Kaatze U. and Uhendorf V. (1981). The dielectric properties of water at microwave frequencies. *Zeitschrift fur physikalische Chemie . Neue Folge*. Vol. 126, N 2, p. 151-165.
- Kadanov L. P. (1993). From order to chaos. Essays: critical, chaotic and otherwise. World Scientific, Singapore etc., 576 p.
- Kadygrov E. N., Shur G. N., and Viazankin A. S. (2003). Investigation of atmospheric boundary layer temperature , turbulence and wind parameters on the basis of passive microwave remote sensing. *Radio Science*, Vol. 38, N 3, 8048, doi:10.1029/2002RS002647.
- Kakar R. K. , and Lambrightsen B. H. (1984). A statistical correlation method for the retrieval of atmospheric moisture profiles by microwave radiometry. *J. Climate Applied Meteorology*, Vol.23, N 7, p. 11110-1114.
- Kalmykov A. I. (1996) Real-aperture radar (RAR) imaging from space. *Radio Science Bulletin*, N 276,p. 13-22.
- Kapitza H. (1983). The influence of clouds and rain on the determination profiles from microwave radiation at 54,4 GHz and 58,0 GHz. *Contributions to Atmospheric Physics*, Vol. 56, N 4, p. 452-463.
- Kardashiov N. S. (2000). Radiotelescope larger than Earth ("Radioastron"). *Zemlya i Vselennaya* (Earth and Universe), N 4, p. 3-10.
- Karkkainen K., Sihvola A. , and Nikoskinen K. (2000). Effective permittivity of mixtures: numerical validation by the FDTD method. *IEEE Trans. Geoscience Remote Sensing* , Vol. 38, N 3, p. 1303-1309.
- Karmakar P. K. , Maiti M., Chattopadhyay S., and Rahaman M. (2002). Effects of water vapor and liquid water on microwave absorption, and their application. *Radio Science Bulletin*, N 303, p. 32-36.
- Kaspersen J. H., and Krogstad P.A. (2001). Wavelet-based method for burst detection. *Fluid Dynamics Research*, Vol. 28, N 3, P. 223-236.
- Keihm S., Zlotnicki V., and Ruf C. S. (2000). TOPEX microwave radiometer performance evaluation, 1992-1998. *IEEE Trans. Geosc. Remote Sensing*, Vol. 38, N 3, p. 1379-1386.
- Kerr Y. H., Wigneron J.P., Ferrazzoli P., and Waldteufel P. (2000a). Soil moisture and vegetation biomass retrievals using L band , dual polarized and multi angular radiometric data in preparation of the SMOS mission. *IEEE IGARSS 2000 Proceedings*, Vol. III, IEEE, New York, p. 1244-1246.
- Kerr Y. H., Waldteufel P., Wigneron J. P., and Font J. (2000b). The soil moisture and ocean salinity mission : the science objectives of an L band 2-D interferometer. *IEEE IGARSS 2000 Proceedings*, Vol. VII, IEEE, New York, p. 2969-2971.
- Kerr Y. H., Font J., Waldteufel P., and Berger M..(2000c). The soil moisture and ocean salinity mission – SMOS. *Earth Obsev. Quarterly*, N 66, p. 18-26.
- Kerr Y. H., Waldteufel P., Wigneron J.-P., Martinuzzi J.-M., Lazard B., Goutoule J.-M., Tabard C., and Lannes A. (2000d). The soil moisture and ocean salinity mission : an overview. In "Microwave Ra-

- diometry and Remote Sensing of the Earth's Surface and Atmosphere". Eds.: Pampaloni P. and Paloscia S. VSP BV , Utrecht, Boston, Koln, Tokyo , p. 467-475.
- Kharkevich A. A. (1962). Spectra and analysis. Physic-mathematical Publishing House, Moscow, 235p.
- Khodyrev Yu. K. , Bespalova E. A. , Pashin Yu. N., Polaynina G. D., Serebrekayn A. L., Strukov I. A. , Shakhno O. F. , Sharkov E. A. , and Etkin V. S. (1972) . Issues of applications of radiophysical methods in the exploration of the atmosphere and the terrestrial surfaces with spacecrafts. Preprint N Pr-112, Space Research Institute, Moscow , 50p. (in Russian).
- Khundzhia G. G. , Gusev A. M. , Andreyev E. G. , Gurov V. V. , and Skorokhvatov N. A. (1977). On the structure of the ocean surface cold film and on the heat exchange of ocean with atmosphere. Izvestya AN . Fizika atmosphery i okeana. (Izvestiya, Atmospheric and Oceanic Physics -English Transl.), Vol. 13, N 7, p. 753-758.
- Kidder S. Q. , GolbergM.D. , Zehr R. M., DeMaria M., Purdom J. F. W. , Velden C. S., Grody N. C. and Kusselson S.J. (2000). Satellite analysis of tropical cyclones using the Advanced Microwave Sound- ing Unit (AMSU). Bulletin Amer. Meteor. Soc., Vol. 81, N 6, p. 1241-1260.
- Kirchner J. W. , and Weil A.(1998). No fractals in fossil extinction statistics. Nature, Vol. 395, N 6700, p. 337-338 .
- Kislyakov A. G. and Stankevich K. S. (1967) . Investigation of troposphere absorption of radio waves by radio astronomical methods. Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Elec- tronics - Engl. Transl.), Vol. 10, N 9-10, p. 1244-1265.
- Klein L. A. and Swift C. T. (1977). An improved model for the dielectric constant of sea water at mi- crowave frequencies. IEEE Trans. Antennas Propagation, Vol. 25, N 1, p. 104-111.
- Klepikov I. N. and Sharkov E. A. (1983). Thermal emission of stratified nonuniform nonisothermal me- dia . Preprint N Pr-801 , Space Research Institute, Moscow ,30p. (in Russian).
- Klepikov I. N. and Sharkov E. A. (1993) . Theoretical study of the natural emission of highly nonuniform nonisothermal media. Sov. J. Remote Sensing, Vol. 10, N6, p. 969-989.
- Klugman I. Yu. (1980). The dielectric permittivity of electrolytes. Zhurnal Fizicheskoi Khimii (Journal of Phys. Chemistry-English transl.), Vol. 54, N 8, p. 2045-2049.
- Kramer, H.J., Ed. (1996). Observation of the Earth and its Environment: survey of missions and sensors. 3rd Enlarged Edition. Berlin, Springer- Verlag, 960p.
- Koh G. (1997). Dielectric properties of ice at millimeter wavelengths. Geophysical Research Letters, Vol. 24, N 18, p. 2311-2313.
- Kohonen T. (1989). Self-organization and associative memory. Springer, New York, 320p.
- Kohlhase C. and Peterson C. E (1997). The Cassini mission to Saturn and Titan. ESA Bulletin, N 92, p. 55-68.
- Koike T., Njoku E., Jackson T. J., and Paloscia S.(2000). Soil moisture algorithm development and valida- tion for the ADEOS-II/AMSR. IEEE IGARSS 2000 Proceedings, Vol. III, IEEE, New York, p. 1558-1560.
- Kollias P., Lhermitte R. , and Albrecht B. A. (1999). Vertical air motion and raindrop size distributions in convective systems using a 94 GHz radar. Geophysical Research Letters, Vol. 26, N 20, p. 3109- 3112.
- Kondratyev K. Ya. (1997) The remote sensing of middle atmosphere from satellites: the new stage. Earth Research from Space (Earth Observ. Rem Sens. - Engl. Transl.) N2, p. 117-134.
- Kondratyev K. Ya. (2000). Global change at the turn of the Millenium. Herald Russian Academy Sci- ences, Vol. 70, N 9, p. 788-796.
- Kondratyev K. Ya., Timofeev Y. M. (1970). Thermal sensing of the atmosphere with satellites. Gidrome- teoizdat Publ. House, Leningrad, 410p. (in Russian).

- Kondratyev K. Ya., and Shulgina E. M. (1971). The determination of characteristics for soil with thermal radioemission measurements. Doklady Acad. Nauk USSR (Trans. of Russian Academy of Sciences / Earth Science Section- Eng. Transl.) , Vol.200, N1, p.88-90.
- Kondratyev K. Ya., Timofeev Y. M. , and Shulgina E. M. (1970). On possibility of determination of characteristics for surface layer soil with its thermal radioemission. Doklady Acad. Nauk USSR (Trans. of Russian Academy of Sciences / Earth Science Section- Eng. Transl.) , Vol.194, N6, p.1313-1315.
- Kondratyev K. Ya., Melentyev V. V. , Rabinovich Yu. I., and Shulgina E. M. (1973). The determination of some physical characteristics for surface soil layer using thermal radioemission. Doklady Acad. Nauk USSR (Trans. of Russian Academy of Sciences / Earth Science Section- Eng. Transl.) , Vol.208, N2, p.342-345.
- Kondratyev K. Ya., Rabinovich Yu. I., and Nordberg W., Eds. (1975). USSR/USA Bering sea experiment proceedings on the final symposium on the joint results of the joint Soviet-American expedition, Leningrad, May 12-17, 1974. Gidrometeoizdat Publ. House, Leningrad, 254p.
- Kondratyev K. Ya., Buznikov A., Pokrovsky O. (1995). Global Change and Remote Sensing. Chichester etc.: Wiley/PRAXIS, 300 pp.
- Kondratyev K. Ya., Johannessen O. M., Melentyev V. V. (1996) . High latitude climate and remote sensing. Chichester etc. : Wiley/PRAXIS, 200 pp.
- Kondratyev K. Ya. and Tanaka T. (1997).Advanced Earth observing satellite-II (ADEOS-II): new perspectives of global environmental monitoring .Earth Research from Space(Earth Observ. Rem. Sens. - Engl. Transl.) , N1, p. 105-121.
- Konig M. von, Bremer H. , Euring V., Goede A. , Hetzheim H., Kleipool Q., Kullmann H., and Kunzi K. (2000). An airborne submm radiometer for the observation of stratospheric trace gases. In "Microwave Radiometry and Remote Sensing of the Earth's Surface and Atmosphere". Eds.: Pampaloni P. and Paloscia S. VSP BV , Utrecht, Boston, Koln, Tokyo , p. 409-415.
- Kostenko V. I. (1973). Digital realization of the algorithm for radioimages recover as a example of Crab nebula brightness distribution. Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 16, N 5, p. 680-684.
- Kostinski A. B. , and Jameson A. R. (1997). Fluctuation properties of precipitation. Part I: on deviations of single-size drop counts from the Poisson disirubtion. J. Atmospheric Sciences, Vol. 54, 9, p. 2174-2186.
- Kothari R., and Islam S. (1999). Spatial characterization of remotely sensed soil moisture data using self organizing feature maps. IEEE Trans. Geoscience Remote Sensing, Vol. 37, N 2, p. 1162-1165.
- Kotlyar I. B. and Novak B. L. (1987). Estimating the accuracy of atmosphere temperature profiles from remote microwaves sensing (117 - 118,5 GHz) . Earth Research from Space (Earth Observ. Rem. Sens. - Engl. Transl.), N 6, p. 57-62.
- Kotlyar I. B. and Khapin Yu. B. (1990). Atmospheric radio brightness characteristics in the 2,53 mm line. Sov. J. Remote Sensing, Vol. 7, N 1, p. 61-71.
- Krasiuk N. P. and Rosenberg V. I. (1970). Ship-borne radiolocation and meteorology. "Sudostroenie " Publ. House, Leningrad, 324p. (in Russian).
- Kravtsov Yu. A. , Ed.(1997). Limits of forecasting. TzentrKom Publishing House, Moscow , 247 p. (in Russian).
- Kravtsov Yu. A., Mirovskaya Ye. A., Popov A. E., Troitskiy I. A. and Etkin V. S.(1978). Critical effects in the thermal radiation of a periodically uneven water surface. Izvestiya, Atmospheric and Oceanic Physics, Vol. 14, N7, p. 522-526.
- Krotikov V. D. (1962). Some electrical characteristics of terrestrial soils and their comparisons with characteristics of Moon's surface layers. Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 5, N 6, p. 1057-1061.
- Krug K.A. (1936). Foundations of the electrical engineering. Joint Scientific-Technical Publishing House, Moscow-Leningrad, 887p. (in Russian).
- Krupenio N. N. (1974). Density of Mars upper soil using data of radiophysical measurements at 3 cm band. Preprint N Pr-185. Space Research Institute , Moscow, 28p. (in Russian).

- Kummerow C. , Barnes W., Kozu T., Shuie J., and Simpson J. (1998). The Tropical Rainfall Measuring Mission (TRMM) sensor package. *J. Atmos. Oceanic Tech.*, Vol. 15, p. 809-817.
- Kummerow C. , Simpson J., Thiele O., Barnes W., Chang A.T.C., Stocker, Adler R. F., Hou A., Kakar R., Wentz F., Ashcroft P., Kozu T., Hong Y., Okamoto, Iguchi T., Kuroiwa H., Im E., Haddad Z., Huffman G., Ferrier B., Olson W. S., Zipser E., Smith E. A., Wilheit T. T., North G., Krishnamurti T., and Nakamura K. (2000). The status of the Tropical Rainfall Measuring Mission (TRMM) after two years in orbit. *J. Applied Meteorology*, Vol. 39, N12, p. 1965-1982.
- Kunkee D. B. , and Gasiewski A. J. (1997). Simulation of passive microwave wind direction signatures over the ocean using an asymmetric-wave geometrical optics model. *Radio Science*, Vol. 32, N 1, p. 59-78.
- Kutuza B. G. , and Smirnov M. T. (1980). The influence of clouds on radio-thermal radiance of “atmosphere-ocean surface” system. *Earth Research from Space (Earth Observ. Rem. Sens. - Engl. Transl.)*, N3, p. 76-83.
- Kuzmin A. V. and Pospelov M. N. (1999) . Measurements of sea temperature and wind vector by nadir airborne microwave instruments in Joint United States/Russia internal waves remote sensing experiment JUSREX'92. *IEEE Trans. Geoscience Remote Sensing*, Vol. 37, N4, p. 1907-1915.
- Kuzmin A., Pospelov M. , and Trokhimovski Yu. (2000). Sea surface parameters retrieval by passive microwave polarimetry. In “Microwave Radiometry and Remote Sensing of the Earth’s Surface and Atmosphere”. Eds.: Pampaloni P. and Paloscia S., VSP BV, Utrecht, Boston, Koln, Tokyo , p. 3-11.
- Lagerloef G. S. E., Swift C. T., and LeVine D. M. (1995). Sea surface salinity: the next remote sensing challenge. *Oceanography*, Vol. 8, N 2, p. 44-50.
- Lakhtakia A., Messier R., Varadan V. V., Varadan V. K. (1987) Fractal dimension from the back-scattering cross section. *J. Phys. A : Math. Gen.*, Vol. 20, p. 1615-1619.
- Lam L. (1998). Nonlinear physics for beginners : fractals, chaos, solitons, pattern formations, cellular automata, complex system. World Scientific Pub., Singapore, 348p.
- Lambrigtsen B. H. (2000). GEO/SAMS – the geostationary synthetic aperture microwave sounder . IEEE IGARSS 2000 Proceedings, Vol. VII, IEEE, New York, p. 2984-2987.
- Lane J., and Saxton J. (1952). Dielectric dispersion in pure polar liquids at very high frequencies. *Proc. Roy. Soc.*, Vol. 214A, N 1119, p. 531-545.
- Landau L.D. and Lifshitz E. M. (1957). Electrodynamics of continuous media. Gostechizdat Pub. House, Moscow, 340 p (in Russian) (Engl. Transl. – Pergamon, Oxford, 1960 , 350 p.).
- Larraza A., Putterman S. , and Roberts P. H. (1985). A universal 1/f power spectrum as the accumulation point of wave turbulence. *Physical Review Letters*, Vol. 55, N 9, p. 897-900.
- Laursen B. , Sobjerg S. , and Skou N. (2000). Ocean wind measured by an imaging, polarimetric radiometer. In “Microwave Radiometry and Remote Sensing of the Earth’s Surface and Atmosphere”. Eds.: Pampaloni P. and Paloscia S., VSP BV , Utrecht, Boston, Koln, Tokyo , p. 29-37.
- LeBlond P. H. and Mysak L. A. (1978). Waves in the Ocean. Elsevier Sci. Publ., Amsterdam , 602 p.
- Lepley L. K. and Adams W. M. (1971). Electromagnetic dispresion curves for natural waters. *Water Resources Research*, Vol. 7, N6, p. 1538-1547.
- Lessner G. (1982). The electrical conductivity of stationary and homogeneous electrolytes up to concentrations $c \approx 1$ mol/l. *Physica A*, Vol. 116, N 1-2, p. 272-288.
- Leung K. , Andersen J. V., and Sornette D. (1998). Self-organized criticality in an isotropically driven model approaching equilibrium. *Physica A*, Vol. 254, N 1-2, p. 85-96.
- Levin M. L. and Rytov S. M. (1967). Theory of equilibrium thermal fluctuations in electrodynamics. Nauka Publ. House, Moscow, 308 p.(in Russian).
- Lhermitte R. M. (1988). Cloud and precipitation remote sensing at 94 GHz. *IEEE Trans. Geosci. Remote Sensing*, Vol. 26, N 3, p. 207-216.
- Li S., Akyel C. , and Bosisio R. (1981). Precise calculation and measurements on the complex dielectric constant for lossy material using TM_{010} cavity perturbation techniques. *IEEE Trans. MTT*, Vol. 29, N 10, p. 1041-1047.

- Li L., Vivekanandan J., Chan C. H., and Tsang L. (1997). Microwave radiometric technique to retrieval vapor, liquid and ice: Part I. Development of a neural networ-basaed inversion method. IEEE Trans. Geoscience Remote Sensing, Vol. 35, N2, p. 224-236.
- Liebe H. J. (1989). MPM- an atmospheric millimeter wave propagating model. Int. J. Infrared and Millimeter Waves, Vol. 10, N 6, p. 631-650.
- Liebe H. J., Hufford G. A. , and Manabe T. (1991). A model for the complex permittivity of water at frequencies below 1 THz. Int. J. Infrared and Millimeter Waves, Vol. 12, N 6, p. 659-675.
- Lin B. , Wielicki B., Minnis P., and Rossow W.(1998a). Estimation of water cloud properties from satellite microwave, infrared and visible measurements in oceanic environments.1. Microwave brightness temperature simulations.J. Geophysical Research, Vol. 103, N D4, p. 3873-3886.
- Lin B. , Minnis P., Wielicki B., Dopelling D. R. , Palikonda R., Young D. F. , and Uttal T. (1998b). Estimation of water cloud properties from satellite microwave, infrared and visible measurements in oceanic environments.2. Results. J. Geophysical Research, Vol. 103, N D4, p. 3887-3905.
- Lin B. and Minnis P. (2000). Temporal variations of land surface microwave emissivities over the atmospheric radiation measurement program Southern Great Plains site. J. Applied Meteorology, Vol. 39, N 7, p. 1103-1116.
- Liou Y.-A. , Galantowicz J. F., and England A. W. (1999) . A land surface process/radiobrightness model with coupled heat and moisture transport for prairie grassland. IEEE Trans. Geoscience Remote Sensing, Vol. 37, N4, p. 1848-1859.
- Liou Y.-A., Teng Y.-T., Hove T.V., and Liljegren J. C. (2001). Comparison of precipitable water observations in the near tropics by GPS, microwave radiometer, and radiosondes. J. Applied Meteorology, Vol. 40, N 1, p. 5-15.
- Lipton A. E. , Griffin M. K. , and Ling A. G. (1999). Microwave transfer model diffrences in remote sensing of cloud liquid water at low temperatures. IEEE Trans. Geoscience Remote Sensing, Vol. 37, N1, p. 620-623.
- List R. (1988). A linear radar reflectivity-rainrate relationship for steady tropical rain. J. Atmos. Sci., Vol.45, N23, p.3564-3572.
- Liu G. (1998). A fast and accurate model for microwave radiance calculations. J. Meteor. Soc. Japan, Vol. 76, N 2, p. 335-343.
- Liu G., Curry J. A. , and Shen R. S. (1995). Classification of clouds over the western equatorial Pacific Ocean using combined infrared and microwave satellite data. J. Geophysical research, Vol. 100, N D7, p. 13811-13826.
- Liu G. , and Curry J. A. (1998). Remote sensing of ice water characteristics in tropical clouds using aircraft microwave measurements. J. Applied Meteorology, Vol. 37, N 4, p. 337-355.
- Liu G. , and Curry J. A. (1999). Tropical ice water amount and its relations to other atmospheric hydrological parameters as inferred from satellite data. J. Applied Meteorology, Vol. 38, N 8, p. 1182-1194.
- Liu G., and Curry J. A. (2000). Determination of ice water path and mass median particle size using multi-channel microwave measurements. J. Applied Meteorology ,Vol. 39, N 8, p. 1318-1329.
- Liu W. T. (1990) . Remote sensing of surface turbulence heat flux. In “ Surface waves and fluxes” , Vol. II, Eds. By Geernaert G. L. and Plant W. J. . Kluwer Academic Publ., p. 293-309.
- Lodders K. and Fegley B. (1998). The planetary scientist’s companion. Oxford University Press, New York, Oxford, 371p.
- Lohnert U. , and Crewell S. (2003). Accuracy of cloud liquid water path form groundbased microwave radiometry.1. Dependency on cloud model statistics. Radio Science, Vol. 38, N3, 8041, doi: 10.1029/2002RS002654.
- Long D. G. and Skouson G. B. (1996).Calibration of spaceborne scatterometers using tropical rain forests. IEEE Trans. Geosci. Remote Sensing, Vol. 34, N 2, p. 4134-424.
- Loudon R.(1973). The quantum theory of light. Oxford, Clarendon Press, 480p.

- Lovejoy S. and Schertzer D. (1985). Generalized scale invariance in the atmosphere and fractal models of rain. *Water Resources Research*, Vol.21, N8, p.1233-1250.
- Lovejoy S. and Mandelbrot B. B. (1985). Fractal properties of rain and a fractal model. *Tellus*, Vol. 37A, p. 205-232.
- Lovejoy S., Schertzer D., and Ladoy P. (1986). Fractal characterization of inhomogeneous geophysical measuring networks. *Nature*, Vol. 319, N 6048, p. 43-44.
- Lucero O. A. (1998). Invariance of the design storm in a region under a rainfall climate change at mid-latitudes. *Atmospheric Research*, Vol. 49, N 1, p. 11-20.
- Ludeke K. M. , and Kohler J. (1983). Microwave radiometric system for biomedical “true temperature” and emissivity measurements. *J. Microwave Power*, Vol. 18, N 3, p. 277-283.
- Lyaschenko A. K. , Goncharov V. S. , and Yastremskii P.S. (1976). Dielectric properties and structure of water solutions of the boric acid. *Zhurnal Structur. Khimii (J. Structural Chemie)* , Vol. 17, N 3, p. 462-465.
- Macelloni G., Paloscia S., Pampoloni P ., Ruisi R., Susini C. and Wigneron J. P. (2000a). Airborne passive microwave measurements on agricultural fields. In “Microwave radiometry and remote sensing of the Earth’s surface.”- Pampaloni P. and Paloscia S. Eds., VSP Press, Utrecht, The Netherlands , p. 59-70.
- Macelloni G., Paloscia S., Pampoloni P., Ruisi R., Tedesco M., Cagnati A., and Valt M. (2000b). Microwave emission of snow in Alpine regions and the detection of surface hoar. *IEEE IGARSS 2000 Proceedings*, Vol. IV, IEEE, New York, p. 1760-1762.
- Maeda K., Iida Y., and Manabe T. (2000) . Protection of spaceborne and terrestrial passive sensors to observe trace gasses from 200 to 700. GHz. *IEEE IGARSS 2000 Proceedings*, Vol. VI, IEEE, New York, p. 2467-2470 .
- Maier D., Kampfer N., Amacher W., Wuthrich M., Noe J. De La, Ricaud P. Baron P. Beadin G. Viguerie C., Pardo J.-R., Gallego J.-D., Barcia A., Cernicharo J., Ellison B., Siddans R., Matheson D., Kunzi K., Klein U., Barry B., Louhi J., Mallat J., Gustafsson M., Raisanen A., and Karpov A. (2000). EMCOR: a new radiometer for the measurement of minor constituents in the frequency range of 201 to 210 GHz. In “Microwave Radiometry and Remote Sensing of the Earth’s Surface and Atmosphere”. Eds.: Pampaloni P. and Paloscia S. VSP BV , Utrecht, Boston, Koln, Tokyo , p. 417-425.
- Malkevich M. S. (1973). Optical studies of the atmosphere from satellites. Moscow, “Nauka” Publ. House, 303 p. (in Russian).
- Mandel L. and Wolf E. (1995). Optical coherence and quantum optics. Cambridge University Press, Cambridge, 850p.
- Mandelbrot B. (1977). Fractals: forms, chance and dimension. W. H. Freeman and Co., San Francisco, Calif., 250 p.
- Mandelbrot B. (1982). The fractal geometry of nature. W. H. Freeman and Co., San Francisco, Calif., 461 pp.
- Mandelbrot B. B. (1989). Fractal geometry: what is it , and what does it do? *Proc. Royal Soc. London A*, Vol. 423, p. 3-16.
- Mandelbrot B. (1998). Is nature fractal? *Science*, Vol. 279, N 5352, p. 783-784.
- Marchuk G. I., Ed. (1976). Monte Carlo method in atmospheric optics. “Nauka” Publ. House, Novosibirsk, 280 p.
- Marchuk G. I., Kondratyev K. Ya., Kozodyerov V. V., Khvorostynov V. I. (1986). Clouds and climate. Gidrometeoizdat, Leningrad, 512 p. (in Russian).

- Marshak A., Davis A., Cahalan R., and Wiscombe W. (1994). Bounded cascade models as nonstationary multifractals. *Physical Review E*, Vol. 49, N1, p. 55-69.
- Marshak A., Davis A., Wiscombe W., and Cahalan R. (1997) . Scale invariance in liquid water distributions in marine Stratocumulus. Part II: multifractal properties and intermittency issues. *J. Atm. Sciences* , Vol. 54, N 11, p. 1423- 1444.
- Martin-Neira M. and Goutoule J. M. (1997). MIRAS- a two-dimensional aperture-synthesis radiometer for soil-moisture and ocean-salinity observations. *ESA Bulletin*. N 92, p. 95-104.
- Martin-Neira M., Font J., Skorosz M., Corbella I., and Camps A.(2000). Ocean salinity observations with SMOS mission. *IEEE IGARSS 2000 Proceedings*, Vol. VI, IEEE, New York, p. 2452-2454.
- Martsinkevich L. M. (1970). The distribution of sea surface slopes. *Meteorologia i hydrologia* (Russian Meteorology and Hydrology),N 10, p. 41-55.
- Martsinkevich L. M. (1981). A two-frequency microwave radiometric method for determination of wind velocity with the aid of a satellite. *Meteorologia i hydrologia* (Russian Meteorology and Hydrology) ,N 3, p. 59-67.
- Martsinkevich L. M. and Melentyev W. W. (1975). Model calculations of sea surface thermal emission for steady sea state. *Trudy GGO* (Trans. Main Geophys. Observatory), N 331, p. 73-85 (in Russian) .
- Marzano F. S., Mugnai A., Panegrossi G., Pierdicca N., Smith E. A., and Turk J. (1999). Bayesian estimation of precipitation cloud parameters from combined measurements of spaceborne microwave radiometer and radar. *IEEE Trans. Geoscience Remote Sensing*, Vol. 37, N 1, p. 596-613.
- Mason P. R. , Hasted J. B. , and Moore L.(1974). The use of statistical theory in fitting equations to dielectric dispersion data. *Advan. Molec. Relax. Processes.*,Vol.6,N3, p. 217-232.
- Masuko H., Manabe T., Seta M., Kasai., Ochiai S., Irimajiri Y. , Inatani J., Ikeda N., Nishibori T., Oze-ki H., Sato R., Fujii Y., Nakajima T., Watanabe H., Kikuchi K., and Koyama M. (2000). Superconducting submillimeter-wave limb emission sounder (SMILES) onboard Japanese experimental module (JEM) of International Space Station (ISS). *IEEE IGARSS 2000 Proceedings*, Vol. I, IEEE, New York, p. 71-73.
- Matsuoka T., Fujita S., and Mae S. (1996). Effect of temperature on dielectric properties of ice in the range 5-39 GHz. *J. Applied Physics*, Vol. 80, N 10, p. 5884-5890.
- Matsuoka T., Fujita S., Morishima S. and Mae S. (1997). Precise measurement of dielectric anisotropy in ice Ih at 39 GHz. *J. Applied Physics*, Vol. 81, N 5, p. 2344-2348.
- Matveenko L.I., Sagdeev R. Z., Kostenko V. I., Kogan L. R., Molotov E. P., Ignatov S. P., Severnyi A. B., Moiseev I. G., Efanov V. A., Sorochenko R. L., Martirosyan R. M., and Aslanyan A. M. (1983). Three-element very-long baseline radiointerferometer . *Pis'ma v AJ* (Astronomical Journal Letters – English transl.), Vol. 9, N7, p. 415-420.
- Matveev D. T. (1971). On the spectrum of microwave emission of ruffled sea surface. *Izvestia Acad. Nauk. Fizika atmosphery i okeana* (Izvestiya, Atmospheric and Oceanic Physics - Engl. Transl.) , Vol.7, N 10, p.1070-10983.
- Matveev Yu. L., Matveev L. T., Soldatenko S. A. (1986) Global Cloudiness. *Gidrometeoizdat*, Leningrad, 288 p. (in Russian).
- Matzler Ch. (1992). Ground-based observations of atmospheric radiation at 5, 10, 21, 35 and 94 GHz. *Radio Science*, Vol. 27, N 3, p. 403-415.
- Matzler Ch. (1994a). Passive microwave signatures of landscapes in winter. *Meteorol. Atmos. Physics*, Vol. 54, p. 241-260.
- Matzler Ch. (1994b). Microwave (1-100 GHz) dielectric model of leaves. *IEEE Trans. Geoscience Remote Sensing* , Vol. 32, N5, p. 947-949.
- Matzler Ch. (1996). Microwave permittivity of dry snow. *IEEE Trans. Geoscience Remote Sensing* , Vol. 34, N2, p. 573-581.
- Matzler Ch. (1998). Microwave permittivity of dry sand. *IEEE Trans. Geoscience Remote Sensing* , Vol. 36, N1, p. 317-319.

- Matzler Ch., Ed. (2000). EUR 19543 - COST Action 712 - Radiative transfer models for microwave radiometry. Office for Official Publications of the European Communities, Luxembourg, 174 p.
- Matzler Ch., and Wiesmann A. (1999). Extention of the microwave emission model of layered snowpacks to coarse-grained snow. *Remote Sens. Environment*, Vol. 70, N 3, p. 317-325.
- McAvoy J. , and Buckmaster H. (1983). The 9GHz complex permittivity of water at 293 and 298 K. *J. Phys. D : appl. Phys.* Vol. 16, N 12, p. 2519-2523.
- McDonald K. C., Zimmermann R., Way J. B., and Chun W. (1999). Automated instrumentation for continuous monitoring of the dielectric properties of woody vegetation: system design, implementation, and selected in situ measurements. *IEEE Trans. Geoscience Remote Sensing*, Vol. 37, N 4, p. 1880-1894.
- McMurdie L. A. , and Katsaros K. B. (1985). Atmospheric water distribution in a midlatitude cyclone observed by the Seasat Scanning Multichannel Microwave Radiometer. *Monthly Weather Review* , Vol. 113, N 4, p. 584-598.
- Megie G., and Readings C. J. (2000). The Earth Explorer missions – current status. *Earth Observ. Quarterly*, N 66, p. 1-5.
- Meisch C., Briottet X., and Kerr Y. (2002). Bidirectional reflectance of a rough anisotropic surface. *Int. J. Remote Sensing*, Vol. 23, N 15, p. 3107-3114.
- Meneghini R. , Kumagai H., Wang J. R., Iguchi T., and Kozu T. (1997). Microphysical retrieval over stratiform rain using measurements from an airborne dual-wavelength radar-radiometer. *IEEE Trans. Geoscience Remote Sensing*, Vol. 35, N 3, p. 487-506.f
- Meriakri V. V. , Apletalin V. N. , Kopnin A. N., Kraftmacher G. A. , Semenov M. G. , Ushatkin E. F. , and Chigryai E. E. (1980). Submillimeter and directed ray spectroscopy and its applications. In “Problems of modern radiotechnics and Electronics”. Moscow, Nauka Publ. House, p. 164-180. (in Russian).
- Michielsen K. and De Raedt H. (2001). Integral-geometry morphological image analysis . *Physics Reports*, Vol. 347, N6, p. 461-538.
- Militskii Y. A., Strukov I. A. , and Etkin V. S. (1975). High-sensitive radiometer at 8-mm band with the broadband parametric amplifier. *Izvestia VUZ. Radiofizika*. (Izvestiya, Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 18, N 5, p. 773-774.
- Militskii Y. A., Raizer V. Y., Sharkov E. A. , and Etkin V. S. (1976). On scattering microwave emission by foamy structures. *Pisma v JTF* (Journal Technical Physics Letters – English Transl.). Vol. 2, N 18, p. 851-855.
- Militskii Y. A., Raizer V. Y., Sharkov E. A. , and Etkin V. S. (1977). Scattering microwave radiation by foamy structures. *Radiotekhnika i elektronika* (J. of Communic. Techn. Electronics - Engl. Transl.), Vol. 22, N 11, p. 2299-2304.
- Militskii Y. A., Raizer V. Y., Sharkov E. A. , and Etkin V. S. (1978). On thermal emission of foamy structures. *Jour. Technicheskoi Fiziki* (Journal Technical Physics – English Transl.). Vol. 48, N 5, p. 1031-1033.
- Milne B. T. (1988). Measuring the fractal geometry of landscapes. *Appl. Mathem. Computation*. Vol. 27, p. 67-79.
- Miller J. L. (2000). Airborne remote sensing of salinity. *Backscatter*, Vol. 11, N 3, p. 24-27.
- Miller J. L. and Payne S. (2000). Remote sensing of coastal salinity: naval needs and developing capability. *IEEE IGARSS 2000 Proceedings*, Vol. VI, IEEE, New York, p. 2534-2536.
- Miller J. L. , Goodberlet M. A., and Zaitzeff J. B. (1998). Airborne salinity mapper makes debut in coastal zone. *EOS, Trans. Amer. Geophys. Union*, Vol. 79, N 14, p. 173-177.

- Milman A. S. (1988). Sparse-aperture microwave radiometers for Earth remote sensing. Radio Science, Vol. 23, N 2, p. 2193-205.
- Mishev D., Petrova V., Ivanov G. , Krumov A. , and Nazarsky T. (1985).Complex study of the atmospheric and ocean state, using data from the scientific equipment installed on “Meteor-Priroda” satellite. Acta Astronautica, Vol. 12, N 7/8, p. 469-474.
- Mitnik L. M. (1972). Measurements of water vapour over oceanic basins using microwave radiometrs, based on “Cosmos-243” satellite. Trudy ZAO (Trans. Central Aerological Observatory), Issue 103, p. 64-72 (in Russian).
- Mitnik L. M. (1978) . Emissive characteristics of water surface. Information Center, VNIIGMI-MCD, Obninsk, 65p. (in Russian).
- Mitnik L. M. (1986). Microwave radiometric investigation of cloud characteristics from satellites. Acta Astronautica. Vol. 13, N 4, p. 175-183.
- Mitnik L. M., and Mitnik M. L. (2003). Retrieval of atmospheric and ocean surface parameters from ADEOS-II Advanced Microwave Scanning Radiometer (AMSR) data; coprparison of errors of global and regional algorithms. Radio Scince, Vol. 38, N 4, 8065, doi:10.1029/2002RS002659.
- Moiseev S.S., Sagdeev R.Z., Tur A.V., Khomenko G.A., Shukurov A.M. (1983). Physical mechanism of developing vortex disturbances in atmosphere. Doklady USSR Acad. Sci., Vol.273, N3, p.549-553 (in Russian).
- Monin A. S. , and Shishkov Yu. A. (2000). Climate as a problem of physics. Physics-Uspekhi, Vol. 43, N 4, p. 381-406.
- MSC (Meteorological Satellite Center) (1986). Monthly report of the Meteorological Satellite Center , June-September, 1985, Tokyo, 250 p.
- Murray R. L. (1957). Nuclear reactor physics. Prentice-Hall, Englewood Cliffs, N. Y., 324p.
- Myers N. (1984). The primary source. Tropical forests and our future. W. W. Norton and Company, New York, London, 320 p.
- Nakajima T. Y. and Nakajima T. (1995). Wide-area determination of cloud microphysical properties from NOAA AVHRR measurements for FIRE and ASTEX regions. J. Atm. Sci., Vol. 52, N 23, p. 4043-4059.
- Narayanan M.S. (1999). Indian space programme in meteorology and oceanography. Megha-Tropiques. First Science Workshop Proceedings,19-22 May, 1999, ISRO H.Q., Bangalore, INDIA. Eds. Narayanan M. S., Manikiam B., Gairola R. M. ISRO, CNES, p. 2.1-2.8.
- Naumov A. P. , Osharina N. N. , and Troitsky A. V. (1999). Ground-based microwave thermal sounding of the atmosphere. Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 42, N 1, p. 45 -59 .
- Navarra A. , Ed. (1998) Beyond El Nino. Decadal Variability in the Climate Systems. Springer , London, Berlin etc, 374 p.
- Nemarich J. , Wellman R. J. , and Lacombe J. (1988). Backscattering and attenuation by falling snow and rain at 96, 140, and 225 GHz. IEEE Trans. Geosci. Remote Sensing, Vol. 26, N 3, p. 319-329.
- Nerushhev A. F. , Petrenko B. Z. , and Kramchaninova E. K. (2001). Determination of tropical cyclone parameters derived from the VHF radiometer SSM/I. Earth Research from Space (Earth Obs. Remote Sensing - Engl. transl.). N 2, p. 61-68.
- Nesterov S. V. , Shamaev A. S. and Shamaev S. I., Eds. (1996). Methods, algorithms and facilities of aerospace computer radar tomography of Earth surface regions. Moscow, Scientific World , p. 272. (in Russian) .

- Newton P. (1998). Outlook- probably wet in parts. *Nature*. Vol. 329. N 6674.p. ?
- Nicolis G. and Prigogine I. (1977). Self-organization in nonequilibrium systems. Wiley- Interscience, New-York, 300 pp.
- Niemczynowicz J. and Bengtsson L. (1996). What practitioners need from theoreticians? *Atmospheric Research*, Vol. 42, N 1-4, p. 5-17.
- Nigmatulin R. I. (1978). Foundations of mechanics of heterogeneous mixtures . “Nauka” Publishing House, Moscow, 250p. (in Russian).
- Nihoul J. C. J. and Jamart B. M. , Eds. (1989). Mesoscale/synoptic coherent structure in geophysical turbulence. Elsevier Sci. Publ., Amsterdam, 842 p.
- Njoku E. G. and Kong J.A. (1977). Theory for passive microwave remote sensing of near-surface soil moisture. *J. Geophysical Research*, Vol. 82, N 20, p. 3108-3118.
- Njoku E. G. , Stacey J. M. , and Barath F. T. (1980). The Seasat scanning multichannel microwave radiometer (SMMR) : instrument description and performance. *IEEE J. Ocean. Eng.*, Vol. 5, N 2, p. 100-115.
- Njoku E. G. , and Li L. (1999). Retrieval of land surface parameters using passive microwave measurements at 6-18 GHz. *IEEE Trans. Geosci. Remote Sensing*, Vol. 37, N 1, p. 79-93.
- Njoku E. G., Rahmat-Samii Y., Sercel J., Wilson W. J., and Moghaddam M. (1999). Evaluation of an inflatable antenna concept for microwave sensing of soil moisture and ocean salinity. *IEEE Trans. Geosci. Remote Sensing*, Vol. 37, N 1, p. 63-78.
- Njoku E. G. , Li L. and Chan T. K. (2000a). Retrieving soil moisture from spaceborne passive microwave data. *IEEE IGARSS 2000 Proceedings*, Vol. III, IEEE, New York, p. 1247-1249.
- Njoku E. G., Wilson W. J., Yueh S. H., and Rahmat-Samii Y. (2000b). A large-antenna microwave radiometer-scatterometer concept for ocean salinity and soil moisture sensing. *IEEE Trans. Geosci. Remote Sensing*, Vol. 38, N 6, p. 2645-2655.
- Novak B. L., Trokhimovskii Yu. G., Etkin V. S. (1983). The optimization of working wavelengths in determining parameters of ocean-atmosphere system using thermal microwave measurements. *Izvestiy. Fizika Atmosf. Okeana*. (Izvestyi - Physics, Atmosphere and Ocean - Engl. Transl.). Vol. 19, N 9, p. 944-849.
- Oguchi T. (1983). Electromagnetic wave propagation and scattering in rain and other hydrometeors. *Proc. IEEE* , Vol. 71, N 9, p. 1029-1078.
- Ohring G. (1994). The current status of operational satellite products for climate studies. *Adv. Space Res.*, Vol. 14, N 1, p. 55-59.
- Olson W. S. , Kummerow C. D. , Hong Y., and Tao W.-K. (1999). Atmospheric latent heating distributions in the tropics derived from satellite passive microwave radiometric measurements. *J. Applied Meteorology*, Vol. 38, N6, p. 633-664.
- Olsson J. (1996). Validity and applicability of a scale-independent , multifractal relationship for rainfall. *Atmospheric Research*, Vol. 42, N 1- 4, p. 53-65.
- Onishenko S. G. and Sharkov E. A. (1982). On features of spectral characteristics for the dielectric parameters of concentrated electrolytes. *Radioitehnika i elektronika* (J. Communications Technology and Electronics – English Transl.), Vol. 27, N 10, p. 2050-2053.
- Ozisik M. N. (1973). Radiative transfer and interactions with conduction and convection. John Wiley and Sons, Inc . , New York , 450 pp.
- Paape K., Bennartz R. , and Fischer J. (2000). A combined two-scale model for microwave emissivities of land surfaces. In “Microwave Radiometry and Remote Sensing of the Earth’s Surface and Atmosphere”. Eds.: Pampaloni P. and Paloscia S., VSP BV, Utrecht, Boston, Koln, Tokyo , p. 71-80.

- Palmen E. and Newton C.W. (1969). Atmospheric circulation systems: their structure and physical interpretation. Intern. Geophys. Series 13. New York, Academic Press,603 p.
- Paloscia S. and Pampoloni P. (1988). Microwave polarization index for monitoring vegetation growth . IEEE Trans. Geosc. Remote Sensing, Vol. 26, N 5, p. 617-621.
- Paloscia S., Pampoloni P., Macelloni G. and Sigismondi S. (1999). Microwave remote sensing of hydrological parameters on the NOPEX area. Agricultural and Forest Meteorology, Vol. 98-99, p. 375-387.
- Paloscia S., Macelloni G., Pampoloni P. Santi E., and Koike T. (2000a). Soil moisture measuremants at global scale using active and passive microwave sensors. IEEE IGARSS 2000 Proceedings, Vol. III, IEEE, New York, p. 1241-1243.
- Paloscia S., Macelloni G., Pampoloni P., Ruisi R., and Susini C. (2000b). Airborne multi-frequency L- and Ka- band radiometric measurements over forests. IEEE IGARSS 2000 Proceedings, Vol. IV, IEEE, New York, p. 1402-1404.
- Parfitt A., Graeme J. , Kot J. , and Hall P. (2000). A case for the Luneburg lens as the antenna element for the square kilometre array radio teleskope. The Radio Science Bulletin, N 293, p. 32-37.
- Park Y. (2001). Effect of random fractals on the dielectric relaxation of a heterogeneous medium. Fractals, Vol. 9, N 3, p. 263-271.
- Parkinson C. L., Cavalieri, Gloersen P. , Zwally H. J. , and Comiso J.C. (1999). Arctic sea ice extents, areas and trends, 1978-1996. J. Geophysical Research, Vol. 104, N C9, p. 20837-20856.
- Parkhomenko E. I. (1965). Electrical properties of rocks. "Nauka" Publ. House, Moscow, 315p. (in Russian).
- Peake W. H. (1959). Interaction of electromagnetic waves with some natural surfaces. IRE Trans. on Antennas and Propagation (Special supplement).Vol. 7, N 12, p. S324-S329.
- Pease C. B. (1991) .Satellite Imaging Instruments. Chichester etc.: Wiley/ PRAXIS, 336 pp.
- Peng B. and Nan R. (2002). Modeling FAST, the world's largest single dish. Radio Science Bulletin, N300, p. 12-21.
- Penner S. S. (1959). Quantitative molecular specrtroscopy and gas emissivities. Addison-Wesley Publ. Company, Readings, London, 480p.
- Persky M. J. (1995). A review of spaceborne infrared Fourier transform spectrometers for remote sensing. Rev. Sci. Instrum., Vol. 66, N 10, p. 4763-4797.
- Petrenko B. Z. (1997). Robust two-channel correction of passive aerospace images. Earth Research from Space (Earth Observ. Rem. Sens. - Engl. Transl.). N 4, p. 42-49.
- Philander G.(1990). El-Nino, La Nino and the Southern Oscillation . Academic Press, San Diego, 350 p.
- Phillips O. M. (1988). Radar returns from the sea surface - Bragg scattering and breaking waves. J. Phys. Ocean., Vol. 18, N 8, p. 1065-1074.
- Pinteric M., Vuletic T., Tomic S., and Schutz J. U. von (2001). Complex low-frequency dielectric relaxation of the charge-density wave state in the $(2,5(\text{OCH}_3)_2\text{DCNQI})_2\text{Li}$. The European Physical J. B, Vol. 22, N3, p. 335-341.
- Pokrovskaya I. V. and Sharkov E. A. (1986). Spacial-statistical properties of whitecap fields on sea surface with optical remote sensing . Earth Research from Space (Sov. J. Remote Sensing – English Transl.), N 5, p. 18-25.
- Pokrovskaya I. V. and Sharkov E. A. (1987a). Foam activity on the sea surface as Markov random process. Doklady Acad. Nauk SSSR (Trans. of USSR Acad. of Sciences/ Earth Science Section - Engl. transl.), Vol. 293, N 5, p. 1108-1111.

- Pokrovskaya I. V. and Sharkov E. A. (1987 b). Optical remote sensing study of breaking gravity wave activity with developing sea roughness. Earth Research from Space (Sov. J. Remote Sensing – English Transl.), N 3, p. 11-22.
- Pokrovskaya I. V. and Sharkov E. A. (1994). Optical remote studies of the azimuthal characteristics of the breaking of sea gravity waves. Sov. J. Remote Sensing, Vol. 11, N 2, p. 311-318.

- Pokrovskaya I. V. and Sharkov E. A. (1997). Remote study of spatial fields of moisture content in the tropical atmosphere in the process of cyclogenesis. Earth Obs. Rem. Sens. Vol. 14, N6, p. 865-874.
- Poperechenko B. A. (2000). Highly efficient antenna systems for space communications and radio astronomy. Physics-Uspekhi, Vol. 43, N 9, p. 921-923.

- Popov A. E. and Sharkov E. A. (1976). Influence of form of amplitude-frequency characteristic of radiometer set on the reception of layer medium emission . Radiotekhnika i elektronika (J. of Communic. Techn. Electronics - Engl. transl.), Vol. 21, N 2, p. 405-408.

- Popov A. E. , Sharkov E. A. , and Etkin V. S. (1974). The emissive characteristics of wet soils at microwave bands. Meteorologia i hydrologia (Russian Meteorology and Hydrology – Engl. Trans.), N 10, p. 49-57.

- Popov A. E., Sharkov E. A. , Shiraeva T. A., Etkin V. S. (1976). Radioemission characteristics of wet soil layer structures at microwave band. Trudy GGI (Trans. of State Hydrological Institute), Issue 237, Leningrad, Hydrometeoizdat, p. 143-147 (in Russian).

- Pottel R. , and Lossen O. (1967). Die Komplexe Dielektrizitätskonstante waBriger Losungen einiger 1-1-wertiger Electrolyte in frequenzbereich 0,5 bis 38 GHz. Ber. Buusenges Phys. Chem., Vol. 71, N2, p. 135-146.

- Prabhakara C., Wang I., Chang A. T. C. , and Gloersen P. (1983). A statistical examination of Nimbus-7 SMMR data and remote sensing of sea surface temperature , liquid water content in the atmosphere and surface wind speed. J. Climate and Applied Meteorology, Vol. 22, N 12, p. 2023-2037.

- Press W. H., Flannery B. P., Teukolsky S. A., and Vetterling W. T. (1986). Numerical recipes- the art of science computing. Cambridge, Cambridge University Press , 320p.

- Prigent C., Wigneron J.-P. , Rossow W. B., and Padro-Carrion J. R. (2000). Frequency and angular variations of land surface microwave emissivities: can we estimate SSM/T and AMSU emissivities from SSM/I emissivities? IEEE Trans. Geosci. Remote Sensing, Vol. 38, N 5, Part 2, p. 2373-2386.

- Prigent C., Aires F., Rossow W., Matthews E.(2001). Joint characterization of vegetation by satellite observations from visible to microwave wavelengths: A sensitivity analysis. J. Geophys. Res., Vol. 106 , No. D18 , p. 20,665-20,675.

- Prochorov A. M., Ed. (1984). Physical encyclopaedia. Moscow, “Sovetskay encyclopaedia” Publ. House, 944p. (in Russian).

- Promes P. M., Jackson T. J., and O’Neill P. E. (1988). Significance of agricultural row structure on the microwave emissivity of soils. IEEE Trans. Geosci. Remore Sensing, Vol. 26, N 5, p. 580-589.

- Pulliainen J. , Karna J.-P., and Hallikainen M . (1993). Development of geophysical retrieval algorithms for the MIMR. IEEE Trans. Geoscience Remote Sensing , Vol. 31, N 1, p. 268-277.

- Pulliainen J., Grandell J., and Hallikainen M. T. (1999). HUT snow emission model and its applicability to snow water equivalent retrieval . IEEE Trans. Geoscience Remote Sensing , Vol. 37, N 3, p. 1378-1390.

- Pulliainen J., and Hallikainen M. (2001). Retrieval of regional snow water equivalent from space-borne passive microwave observations. Remote Sensing of the Environment, Vol. 75, N 1, p. 76-85 .

- Purcell E. M. (1965). Electricity and magnetism. McGraw-Hill , New York, 459p.

- Quattrochi D. A. and Goodchild M.F. (1997). Scale in remote sensing and GIS. Berlin, Springer, 406 p.
- Rabinovich Yu. I., Schukin G. G. , and Volkov V. G. (1968). On possible errors of absolute radioemission measurements. Trudy GGO (Trans. Main Geophysical Observatory) , N 222, p. 138-148. (in Russian).
- Rabinovich Yu. I., Schukin G. G. , Volkov V. G., and Krupenio N.N.(1970). Polarization measurements of surface emission at centimeter band. Trudy GGO (Trans. Main Geophysical Observatory) , N 235, p. 72-77. (in Russian).
- Rabinovich Yu. I. , and Melentev V. V. (1970). The effect of the temperature and salinity on the emission of a smooth water surface at centimeter band. Trudy GGO (Trans. Main Geophysical Observatory) , N 235, p. 78-123. (in Russian).
- Raev M. D., Sharkov E. A. , Shiraeva T. A. , and Etkin V. S. (1975). On the calculation of the thermal radioemission for the multi-layer structures with the method of oriented graphs by computer. Radiotekhnika i elektronica (J. of Communic. Techn. Electronics - Engl. Transl.), Vol. 20, N 3, p. 632-635.
- Raffalski U., Klein U., Franke B., Langer J., Sinnhuber B. M. , Trentmann J., Kunzi K. F., and Schrems O. (1998). Ground based millimeter-wave observations of Arctic chlorine activation during winter and spring 1996/97. Geophys. Research Letters, Vol. 25, N17, p. 3331-3334.
- Raizer V. Yu. and Sharkov E. A. (1981). On electromagnetic description of closely packed dispersed media. Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 24, N 7, p. 809-818.
- Raizer V. Yu. , Sharkov E. A. and Etkin V. S. (1974) . Electrical and emissive characteristics of water at decimeter and meter wave bands. Preprint N Pr-164, Space Research Institute , Moscow, 15p. (in Russian).
- Raizer V. Yu. , Sharkov E. A. and Etkin V. S. (1975a). Influence of temperature and salinity on the radioemission of a smooth ocean surface at decimeter and meter bands. Izvestiya Akad. Nauk USSR, Fizika Atm. Okeana (Izvestya. Atmospheric and Oceanic Physics- English trans.), Vol. 11, N 6, p. 652-655.
- Raizer V. Y., Sharkov E. A. , and Etkin V. S. (1975b). On the thermal radioemission of sea surface with oil pollution. Preprint N Pr-237. Space Research Institute , Moscow, 15p. (in Russian).
- Raizer V. Y., Sharkov E. A. , and Etkin V. S. (1976). Sea foam. Physico-chemical properties. Emissive and reflective characteristics. Preprint N Pr-306. Space Research Institute , Moscow, p. 25. (in Russian).
- Raizer V. Y. , and Sharkov E. A. (1980). On dispersal structure of sea foam. Izvestia Acad. Nauk SSSR. Fizika atmosphery i okeana (Izvestiya, Atmospheric and Oceanic Physics - Engl. Transl.) , Vol.16, N 7, p.772-776.
- Raju G. and Rana S.S. (1999). OCEANSAT-1 (IRS-P4) satellite and payloads. Megha-Tropiques. First Science Workshop Proceedings,19-22 May, 1999, ISRO H.Q., Bangalore, INDIA. Eds. Narayanan M. S., Manikiam B., Gairola R. M. ISRO, CNES, p. 3.1-3.4.
- Randel D. L., Vonder Haar T. H., Ringerud M. A., Stephens G. L., Greenwald and Combs C. L. (1996) . A new global water vapour data set . Bull. Amer. Meteor. Soc., Vol. 77, N 6, p. 1233-1246.
- Raney R. K. (1983). Synthetic aperture radar observations of ocean and land. Phil. Trans. Roy. Soc. London, Vol. A309, N 1508, p. 315-323.
- Ranson K. J., Sun G., Weishampel J. F., Knox R. G. (1997). Forest biomass from combined ecosystem and radar backscatter modeling. Remote Sensing of Environment, Vol. 59, N 1, p. 118-133.
- Rao B. M. , Thapliyal P. K., Pal P. K., Manikiam B., and Dwivedi A. (1999). Large scale soil moisture estimation using microwave radiometer data. Megha-Tropiques. First Science Workshop Proceed-

- ings, 19-22 May, 1999, ISRO H.Q., Bangalore, INDIA. Eds. Narayanan M. S., Manikiam B., Gairola R. M. ISRO, CNES, p. 23.1-23.22.
- Raschke E. and Jacob D. , Eds. (1993). Energy and water cycles in the climate system. Springer -Verlag, Berlin ,ets , 467 p.
- Rassadovsky V. A. , and Troitsky A. V. (1981). Remote radiometric atmospheric studies in the zone of tropical cyclone origin. Izvestya AN . Fizika atmosphery i okeana. (Izvestiya, Atmospheric and Oceanic Physics –English Transl.), Vol. 17, N 7, p. 698-705.
- Ray P. (1972). Broad band complex refractive indiced of ice and water. Applied Optics, Vol. 11, N 8, p. 1836-1844.
- Rehm G., and Brand H. (1999). Imaging of plants using radiometry at 600 GHz. IEEE IGARSS 1999 Proceedings, Vol. V , IEEE, New York, p. 2637-2639.
- Reid G. C. and Gage K. S. (1996). The tropical tropopause over the western Pacific : wave driving, convection and the annual cycle. J. Geophysical Research, Vol. 101, N D16, p. 21233-21241.
- Reising S. C. , and Camps A. J. (2000). A model of the wind direction signature in the Stokes emission vector from the ocean surface at microwave frequencies. IEEE IGARSS 2000 Proceedings, Vol. VI, IEEE, New York, p. 2745-2747.
- Reutov E. A. ,. and Shutko A. M. (1990a). Theoretical studies of the microwave emission of unified wet salty soils. Earth Research from Space (Earth Obs. Remote Sensing - Engl. Transl.). N 3. P. 73-81.
- Reutov E. A. ,. and Shutko A. M. (1990b). Experimental studies of the microwave emission of unified wet salty soils. Earth Research from Space (Earth Obs. Remote Sensing - Engl. Transl.). N 4. P. 78-84.
- Robinson I.S. (1985). Satellite Oceanography. Chichester ets.: Wiley/PRAXIS, 456 p.
- Roca R. (1999). Deep convection and water vapor in the tropical climate. Megha-Tropiques. First Science Workshop Proceedings, 19-22 May, 1999, ISRO H.Q., Bangalore, INDIA. Eds. Narayanan M. S., Manikiam B., Gairola R. M. ISRO, CNES, p. 10.1-10.10.
- Roca R. , and Ramanathan V. (2000). Scale dependence of monsoonal convective systems over the Indian Ocean. J. Climate, Vol. 13, N4, p. 1286-1298.
- Rochard G. (2000). “Do or Die” frequency list for passive remote sensing of the Earth. IEEE IGARSS 2000 Proceedings, Vol. VI, IEEE, New York, p. 2455-2456.
- Rodgers E.B. and Adler R.F. (1981). Tropical cyclone rainfall characteristics as determined from a satellite passive microwave radiometer. Mon. Weather Rev., Vol.109, p.506-521.
- Rodgers E.B., Chang S.W., Pierce H.F. (1994). A satellite observational and numerical study of precipitation characteristics in western North Atlantic tropical cyclones. J. Appl. Meteor., Vol.33, p.573-593.
- Rodrigues-Iturbe I. and Rinaldo A. (1997). Fractal river basins: chance and self-organization. Cambridge: Cambridge University Press, 547p.
- Rosenfeld D. and Woodley W. L. (2000). Deep convective clouds with sustained supercooled liquid water down to $-37,5^{\circ}$ C. Nature, Vol. 405, N 6785, p. 440-442.
- Rosenkranz P. W. (1975). Shape of the 5 mm oxygen band in the atmosphere. IEEE Trans. Antennas Propag., Vol. 23, N 4, p. 498-506.
- Rosenkranz P. W., and Staelin D. H. (1972). Microwave emissivity of ocean foam and its effect on nadir radiometric measurements. J. Geophysical Research, Vol.77, N 33, p. 6528-6538.

- Rosenkranz P. W., Barath F. T., Blinn J. C., Johnston E. J., Lenoir W. B., Staelin D. H., and Waters J. W. (1972). Microwave radiometric measurements of atmospheric temperature and water from aircraft. *J. Geophysical Research*, Vol. 77, N30, p. 5833-5844.
- Rosenkranz P. W., Komichak M. J. , and Staelin D. H. (1982). A method for estimation of atmospheric water vapor profiles by microwave radiometry. *J. Applied Meteorology*, Vol. 21, N 9, p. 1364-1370.
- Rosenlof K. H., Tuck A. F., Kelly K. K., Russell J. M., and McCormick M. P. (1997).Hemispheric asymmetries in water vapor and inferences about transport in the lower stratosphere. *J. Geophysical Research*, Vol. 102, N D11, p. 13213-13234.
- Rosolen C., Clerc V. , and Lecacheux SA. (1999). High dynamic range, interferences tolerant, digital receivers for radio astronomy. *Radio Science Bulletin*, N 291, p. 6-12.
- Rossow W. B. and Schiffer R. A. (1991). ISCCP cloud data product. *Bull. Amer. Meteorol. Soc.*, Vol. 72, N 1, p. 2-20.
- Rozenberg V. I. (1972). Electromagnetic scattering and attenuation in atmospheric particles. Leningrad, Gidrometeoizdat , 348p. (in Russian).
- Prigent C. , Phalippou L., and English S. (1997). Variation inversion of the SSM/I observations during the ASTEX campaign. *J. Applied Meteorology*, Vol. 36, N 5, p. 493-508.
- Ruf K. (1999). Technical and engineering challenges for the future of radio astronomy. *Radio Science Bulletin* , N 291, p. 13-18.
- Ruf C. S. (2000a). Detection of calibration drift in spaceborne microwave radiometers using a vicarious cold reference. *IEEE Trans. Geosci. Remote Sens.*, Vol. 38, N 1, P.44-52.
- Ruf C. S. (2000b). Statistical analysis of a lower bound on microwave radiometer brightness temperatures from space. *IEEE IGARSS 2000 Proceedings*, Vol. VII, IEEE, New York, p. 2824-2826.
- Ruf C. S., and Zhang H. (2001). Performance evaluation of single and multichannel microwave radiometers for soil moisture retrieval. *Remote Sensing Envir.* , Vol. 75, N 1, p. 86-99.
- Ruf C. S. , Swift C. T. , Tannerr A. B., and LeVine D. M. (1988). Interferometric synthetic aperture microwave radiometry for the remote sensing of the Earth. *IEEE Trans. Geoscience Remote Sensing*, Vol. 26, N 5, p. 597-611.
- Ruf C. S. , Principe C. M., and Neeck S. P. (2000) . Enabling technologies to map precipitation with near-global coverage and hour-scale revisit times. *IEEE IGARSS 2000 Proceedings*, Vol. VII, IEEE, New York, p. 2988-2990.
- Rysakov W., and Ston M. (2001). Light scattering by spheroids. *J. Quant. Spectr. Radiative Transfer*, Vol. 69, N 5, p. 651-665.
- Rytov S. M. (1953). The theory of electrical fluctuations and thermal emission. Moscow, USSR Academy Sciences Publ. House, 230p. (in Russian).
- Rytov S. M. (1966) . Introduction in statistical radiophysics. Moscow, "Nauka" Publ. House, 404 p. (in Russian).
- Rytov S. M. , Kravtsov Yu. A. , and Tatarskii V. I. (1978). Introduction in statistical radiophysics.Part II. Random fields. Moscow, "Nauka" Publ. House, 462 p. (in Russian).
- Sabins F.F. (1987) . Remote sensing. Principles and interpretation. N. Y. : W. H. Friman and Company, 368 p.
- Sadeghi A. M., Scott H.D., Waite W. P., Asrar G. (1988).Estimating soil water evaporation using radar measurements. *IEEE Trans. Geoscience Remote Sensing*. Vol. 26, N 4, p. 490-493.
- Sadourny R., Cordon F. and Bonazzola M.(1999). Tropical convection , water vapour transport and the general circulation of the atmosphere. *Megha-Tropiques*. First Science Workshop Proceedings,19-22 May, 1999, ISRO H.Q., Bangalore, INDIA. Eds. Narayanan M. S., Manikam B., Gairola R. M. ISRO, CNES, p. 11.1-11.10.
- Sakerin S. M. and Kabanov D. M. (1997). Using local and integral humidity characteristics for estimating vertical profiles. *Optics Atm. Ocean* , Vol. 10, N 1, p. 87-96 (in Russian).

- Sasaki Ya., Asanuma I., Muneyama K., Naito G., Suzuki T. (1987). The dependence of sea-surface microwave emission on wind speed, frequency, incidence angle, and polarization over frequency range from 1 to 40 GHz. IEEE Trans. Geoscience Remote Sensing., Vol. 25, N 11, p. 138-146.
- Savorskii V.P. , Armand N. A. and Milshin A.A. (2000). Experimental method for recover of antenna directional pattern of satellite borne instrumentation with local regularization method. Radiotekhnika i electronika (J. of Communic. Techn. Electronics - Engl. transl.), Vol. 45, N 10, p. 1210-1213.
- Saxton J. A. (1952). Dielectric dispersion in pure polar liquids of very high frequencies . Proc. Roy. Soc., Vol. 213A, N 115, p. 473-492.
- Schilling H. (1972). Statistische physik in beispielen . VEB Fachbuchverlag, Leipzig, 420p.
- Schmetz J. , Tjemkes S. A., Gube M., van de Berg L. (1997). Monitoring deep convection and convective overshooting with Meteosat . Adv. Space Res., Vol. 19, N3, p. 433-441.
- Schmitt R. , and Montgomery E. (2000). Salinity- a missing piece in the climate puzzle. Backscatter, Vol. 11, N 3, p. 10-16.
- Schmugge T. and O'Neill P. (1986). Passive microwave soil moisture research. IEEE Trans. Geoscience Remote Sensing. Vol. 24, N 1, p. 12-22.
- Schugge T. J. , Wang J. R. , and Asrar G. (1988). Results from the push broom microwave radiometer flights over the Konza Prairie in 1985. IEEE Trans. Geosc. Remote Sensing, Vol. 26, n 5, p. 590-596.
- Schuster H. G. (1984). Deterministic Chaos. An Introduction. Physik -Verlag GmbH, Weinheim, 240 p.
- Schultz G. A. (1988) .Remote sensing in hydrology. J. Hydrology. Vol. 100, p. 239-265.
- Schultz G. A., and Engman E. T. , Eds. (2000). Remote sensing in hydrology and water management. Springer-Verlag, Berlin , Heidelberg, 483 p.
- Schweitzer F. , Ed. (1997). Self-organization of complex structures. Gordon and Breach, Amsterdam, 622 p.
- Scofronick-Jackson G. M., and Wang J. R. (2000). The estimation of hydrometeor profiles from wide-band microwave observations. J. Applied Meteorology, Vol. 39, N 10, p. 1645-1657.
- Scott J. C. (1978). The historical development of theories of wave-calming using oil. History of Technology, Vol. 3, p. 163-186.
- Scott J. C. (1999). Ocean surface slicks- pollution, productivity, climate and life-saving. IEEE IGARSS 1999 Proceedings, Vol. III, IEEE, New York, p. 1463-1468.
- Scott J. C. , and Thomas N. H. (1999). Sea surface slicks-surface chemistry and hydrodynamics in radar remote sensing. Proceedings, Conference on wind-over-wave couplings, Salford University, 1997. Taylor & Francis, p. 221-229.
- Sethna J. P. , Dahmen K. A. , and Myers C. R. (2001). Crackling noise. Nature, Vol. 410, N 6825, p. 242-250.

- Shapirovskaia N. Ya. (1973) . On polarization radiothermal investigations of surfaces with spacecrafts. Kosmicheskie issledovania (Space Research- English Transl.) , Vol. 11, N 6, p. 907-912.
- Sharkov E. A. (1978). On using microwave radiometers for study of thermal interaction in atmosphere-ocean system. Radiotekhnika i electronika. (J. of Communic. Techn. Electronics - Engl. Transl.) Vol. 23, N 3, p. 655-658.
- Sharkov E. A. (1983) . On estimation of relaxation models for dielectric properties of water for remote sensing problems. Preprint N Pr-800. Space Research Institute , Moscow, p. 15. (in Russian).
- Sharkov E. A. (1984). Relaxation model for dielectric properties of concentrated electrolytes.Zhurnal Fizicheskoi Khimii (Journal of Phys. Chemistry-English transl.), Vol. 58, N 7, p. 1705-1710 .
- Sharkov E. A. (1993 a). Spatial features of sea wave breaking fields. « Symposium on the Air-Sea Interface. Marseilles. France. June 24-30.1993» . Book of Abstracts, p. 21.

- Sharkov E. A. (1993 b). Scaling properties of sea wave breaking fields. *Annales Geophysicae*. Part II, Suppl. II to Vol. 11, p. C310.
- Sharkov E. A. and Bondur V. G. (1993).Statistical characteristics of linear and area geometry of foam structures on the disturbed sea surface. «A Symposium on the Air-Sea Interface . Marseille. France. June 24-30.1993.» Book of Abstracts, p. 177.
- Sharkov E.A.(1994). Experimental investigations of lifetimes for breaking wave disperse zone. *Izvestia Acad. Nauk. Fizika atmosphery i okeana* (Izvestiya, Atmospheric and Oceanic Physics - Engl. Transl.), Vol.30, N 6, p.844-847.
- Sharkov E. A. (1995). Optical investigations of temporal evolution of foam structures on sea surface. *Earth Obs. Rem. Sens.*, Vol. 12, N 1, p. 88-101.
- Sharkov E.A. (1996a). The global tropical cyclogenesis as relaxation oscillator of the kinetic-diffusional type. *Annales Geophysicae*, Supplement II to Vol.14, Part II, p.C654.
- Sharkov E.A. (1996b). The global tropical cyclogenesis model for climate applications. «31 st Sci. Assembly of COSPAR, 14-21 July 1996». Abstracts. The University of Birmingham. England, p.8.
- Sharkov E. A. (1996 c). Precision relaxation model of dielectric properties of water for remote sensing problems. *Earth Obs. Rem. Sens.*, Vol. 13, N 6, p. 887-902.
- Sharkov E. A. (1996 d) . The nonlinear evolution of breaking sea gravity waves. *Annales Geophysicae*, Suppl. II to Vol. 14, Part II, p. C542.
- Sharkov E. A. (1997 a). Airspace observations of tropical cyclones. *Earth Research from Space (Earth Obs. Remote Sensing - Engl. Transl.)*. 1997. N 6. P. 78-111.
- Sharkov E.A. (1997 b). The global tropical cyclogenesis as a geophysical system slightly out of equilibrium. *Earth Obs. Remote Sensing* . 1997. Vol. 14. N6. P. 865-874.
- Sharkov E. A. (1998). Remote sensing of tropical regions. Chichester, N. Y., Weinheim, Brisbane, Singapore, Toronto. John Wiley and Sons / PRAXIS . 320 p.
- Sharkov E. A. (2000). Global Tropical Cyclogenesis .London, Berlin,Heidelberg, New York, etc. Springer/PRAXIS. 375 p.
- Sharkov E. A., and Etkin V. S. (1976). Possibilities of remote sensing of Earth surface with radio-physical instruments. In “ Space investigations of Earth’s resources “, Moscow, “Nauka” Publ. House, p. 99-109 (in Russian).
- Shchuko O. B. and Kartashov D. W. (1999) . Dependence of the Mercury radio emission from the upper cover structure and composition. *Izvestia VUZ. Radiofizika*. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 42, N 3, p. 203-214.
- Shepard M. K. , Brackett R. A. , and Arvidson R. E. (1995). Self-affine (fractal) topography: surface parameterization and radar scattering. *J. Geophysical Research*, Vol. 100, N E6, p. 11,709-11,718 .
- Shepard M. K. , and Campbell B. A. (1999). Radar scattering from a self-affine fractal surface: near-nadir regime. *Icarus*, Vol. 141, N 1, p. 156-171.
- Shibata A. (2000). AMSR/AMSR-E algorithm development and data distribution. *IEEE IGARSS 2000 Proceedings*, Vol. I, IEEE, New York, p. 59-61.
- Shifrin K. S. (1951). Scattering of light by a turbid medium. Moscow, Gostechizdat, 288p. (in Russian)
- Shifrin K. S. , Ed. (1968). Tables for light scattering. Vol. III. Coefficients of extinction, scattering and beam pressure. Leningrad, Hydrometeorological Publishing House, 350p. (in Russian).
- Shifrin K. S. (1971). Investigation of substance’s properties by single-scattering. In “Theoretical and applied problems of light’s scattering “. Minsk, “Nauka i technika” Publ. House , p. 228-244.
- Shimoda H. (2000). Global change observation mission (GCOM). *IEEE IGARSS 2000 Proceedings*, Vol. I, IEEE, New York, p. 53-55.
- Shin R. T. and Kong J. A. (1982). Theory for thermal microwave emission from a homogeneous layer with rough surfaces containing spherical scatterers. *J. Geophys. Research*, Vol. 87, N 7, p. 5566-5576.

- Shulgina E. M. (1975). Radioemission of a vertically nonuniform medium. Trudy GGO (Trans. Main Geophysical Observatory), N 331, p. 64-72 (in Russian).
- Shulgina E. M. (1972). Calculation of emissivity of disturbed sea surface at microwave band. Izvestia AN. Fizika atmosphery i okeana . (Izvestiya. Atmospheric and Oceanic Physics- Engl. Transl.) Vol. 8, N 7, p. 773-776.
- Shutko A. M. (1982). Microwave radiometry of lands under natural and artificial moistening. IEEE Trans. Geosci. Remote Sensing. Vol. 20, N 1, p. 18-26.
- Shutko A. M. (1986). Microwave radiometry of water surface and soils. "Nauka" Publ. House, Moscow, 189p. (in Russian).
- Siegel R. and Howell J. R. (1972). Thermal radiation heat transfer. New York, McGraw-Hill Book Company, 910p.
- Sihvola A.H. and Kong J. A. (1988). Effective permittivity of dielectric mixtures. IEEE Trans. Geosci. Remote Sensing, Vol. 26, N4, p. 420-429.
- Siegel R. and Howell J. R. (1972) . Thermal radiation heat transfer . McGraw-Hill Book Company, New York, 420 pp.
- Singh R. P., Mishra N. C. , and Sahoo P.K. (2000). Seasonal variations of brightness temperature at 85 GHz over India. Adv. Space Res., Vol. 26, N 7, p. 1081-1084.
- Simpson J., Ed. (1988). Report of the science steering group for a Tropical Rainfall Measuring Mission (TRMM). GSFC, Maryland, 94 p.
- Simpson J., Adler R.F., North G.R. (1988). A Proposed Tropical Rainfall Measuring Missions (TRMM) Satellite. Bull. Americ. Meteor. Soc. Vol.69, N 3, p. 278-295.
- Simpson J., Kummerow C. D. , Meneghini R. , Hou A., Adler R. F., Huffman G., Barkstrom B., Wielicki B., Goodman S.J., Christian H., Krishnamurti T. N., Yang S., and Ferrier B. (2000). The tropical rainfall measuring mission (TRMM). Earth Research from Space (Earth Obs. Remote Sensing - Engl. Transl.). N4. P. 71-90.
- Sinyukov V. V. (1976). Structure of the single-atom fluids, water and water solutions of electrolytes. Moscow, Nauka Publ. House, 256p. (in Russian).
- Skofronick-Jackson G. M. , and Wang J. R. (2000). The estimation of hydrometeor profiles from wide-band microwave observations. J. Applied Meteorology, Vol. 39, N10, p. 1645-1656.
- Skolnik M. I. (1980). Introduction to radar systems. McGraw-Hill Book Company, New York, 450 pp.
- Slater J. C. (1942). Microwave transmission. McGraw-Hill Book Company, New York, London. 308 pp.
- Smirnov M. T. (1984). Modeling of rain radioemission by Monte-Carlo method. Izvestia AN. Fizika atmosphery i okeana . (Izvestiya. Atmospheric and Oceanic Physics- Engl. Transl.) Vol. 12, N 9, p. 820- 826.
- Smirnov A. I. and Sharkov E. A. (1979). On dielectric and emissive properties of the strong salt water. Izvestya VUZ, Radiofizika (Radiophysics and Quantum Electronics- English Transl.), Vol. 22, N 10, p. 1285-1287.
- Smith P. M. (1988). The emissivity of sea foam at 19 and 37 GHz. IEEE Trans. Geosci. Remote Sensing, Vol. 26, N 5, p. 541-547.
- Smith D. M. , Kniveton D.R. , and Barrett E. C. (1998). A statistical modeling approach to passive microwave rainfall retrieval. J. Applied Meteorology, Vol. 37, N 2, p. 135-154.
- Sobolev V. V. (1963). A treatise on radiative transfer. Van Norstrand, Princeton , N. J. , 319p.
- Sobolev S. L. (1997). Local non-equilibrium transport models. Physics-Uspekhi, Vol. 40, N10, p. 1043- 1053.
- Sobti A. , and Moore R. K. (1976). Correlation between microwave scattering and emission from land and sea at 13,9 GHz. IEEE Trans. Geoscince Electronics, Vol. 14, N 4, p. 93-96.

- Sobue S., Tomii N., Moriyama T., Ishida C., Kohji T., and Kamijo S. (2000). NASDA's future Earth observation satellite plan. IEEE IGARSS 2000 Proceedings, Vol. VI, IEEE, New York, p. 2596-2598.
- Soglasnova V. A. and Sholomitskii G.B. (1971) On bolometric measurements of cosmic microwave background radiation. Preprint N Pr-90, Space Research Institute, Moscow, p. 8 (in Russian).
- Sorai K., Nishiyama K., Nasegawa T., Miyaji T., and Ukita N. (1998). A 500-MHz acousto-optical spectrometer for the Nobeyama 45-m radio telescope. Technical report N 60, Nobeyama Radio Observatory, Nagano, 10p.
- Sornette D. (2000). Critical phenomena in natural sciences. Springer. Berlin, Heidelberg, New York, etc., 434 p.
- Sorooshian S., Hsu K.-L., Gao X., Gupta H. V., Imama B., and Braithwaite D. (2000). Evaluation of PERSIANN system satellite-based estimates of tropical rainfall. Bull. Amerc. Meteor. Soc., Vol. 81, N 9, p. 2035-2046.
- Srokosz M. A. (1986). On the probability of wave breaking in deep water. J. Physical Oceanography, Vol. 16, N 2, p. 3832-385.
- Staelin D. H. (1969). Passive remote sensing at microwave wavelengths. Proc. IEEE, Vol. 57, N 4, p. 427-439.
- Staelin D. H. (1981). Passive microwave techniques for geophysical sensing of the Earth from satellites. IEEE Trans. Antennas Propagation , Vol. 29, N 4, p. 683-687.
- Steel M., Sheppard R. , and Grant E. (1984). A precision method for measuring the complex permittivity of solid tissue in the frequency domain between 2 and 18 GHz. J. Phys. E: Sci. Instr. , Vol. 17, N 1, p. 30-34.
- Stephens G. L., Jakob C., and Miller M. (1998). Atmospheric ice - a major gap in understanding the effects of clouds on climate. GEWEX News, Vol. 8, N 1 , p. 1, 4-8.
- Steranka L., Rodgers E. B., Gentry R. (1986). The relationship between satellite measured convective bursts and tropical cyclone intensification. Mon. Weather Rev., Vol.114, N8, p.1539-1546.
- Stockade T. N., Anderson D. L. T., Alves J. O. S., and Balmaseda M. A. (1998) . Global seasonal rainfall forecasting using a coupled ocean-atmosphere model. Nature. Vol. 392. N 6674.p. 370-373.
- Stoffregen H., Zenker T., and Wessolek G. (2002). Accuracy of soil water content measurements using ground penetrating radar: comparision of ground penetrating radar and lysimeter data. J. Hydrology, Vol. 267, N 3-4, p. 201-206.
- Stogryn A. (1967). The apparent temperature of the sea at microwave frequencies. IEEE Trans. Antennas Propagat., Vol. AP-15, N 3, p. 278-286.
- Stogryn A. (1970). The brightness temperature of a vertically structured medium. Radio Science , Vol. 12, N 12, p. 1397-1406.
- Stogryn A. (1971). Equations for calculating the dielectric constant for saline water. IEEE Trans. Microwave Theory Technology, vol. 19, N 8, p. 733-736.
- Stogryn A. (1972). The emissivity of sea foam at microwave frequencies. J. Geophysical Research , Vol. 77, N 9, p. 1658-1666.
- Stogryn A. (1986). Study of the microwave brightness temperature of snow from the point of view of strong fluctuation theory. IEEE Trans. Geosci. Remote Sensing, Vol. 24, N2, p. 220-231.
- Stogrin A. P. , Buttler C. T. , and Bartolac T. J. (1994) Ocean surface wind retrievals from special sensor microwave imager data with neural networs. J. Geophysical Research, Vol. 99, p. 981-984.
- Stone K. (1979). Ocean science. J. Wiley and Sons, N. Y., Chichester , 609 p.
- Stratton J. A. (1941). Electromagnetic theory. New York, London, McGraw-Hill Book Company, Inc., 615p.
- Strukov I. A. , and Skulachev D. P. (1984). "Relict" experiment. The first results. Pisma v astronomicheskii journal (Astronomy Letters- English transl.), Vol. 10, N1, p. 3-13.

- Strukov I. A. , and Skulachev D. P. (1986). Investigations of the anisotropy of cosmic microwave background. "Relict" experiment. In "Results of sciences and technique . Astronomy." Vol. 31. Astrophysics and space physics. Ed. by Sunyev R. A. Moscow, VINITI Publ. House, p. 37-73.
- Sunyaev R. A. , Ed.(1986). Space Physics. Small encyclopaedia. Moscow, "Soviet encyclopaedia" Publ. House. 783p. (in Russian).
- Szwarnowski R. (1982). A transmission line cell measuring the permittivity of liquids over the frequency range 90 MHz to 2 GHz. J. Phys. E : Sci. Instrum., Vol.15, N 10, p. 1068-1072.
- Tack R. E. (1994). Commercial distribution of data from RADARSAT, Canada's Earth observation satellite. Earth Research from Space, N 2, p. 118-124.
- Takanashi N., Kawanishi T., Kojima K., Oikawa K., Kuroiwa H., Okamoto K., Kozu T., Okumura M., Nakatsuka H. and Nishikawa K (2000). Two year operation of the Precipitation Radar (PR) on-board TRMM satellite. IEEE IGARSS 2000 Proceedings, Vol. III, IEEE, New York. P 1343-1345.
- Takayasu H. (1984). Stable distribution and Levy process in fractal turbulence. Progress of Theoretical Physics, Vol. 72, N 3, p. 471-479.
- Takayasu H. (1988). Fractal clusters and stable distribution. J. Physical Society Japan, Vol. 57, N 8, p. 2585-2587.
- Tang C. C. H. (1974). The effect of droplets in the air-sea transition zone on the sea brightness temperature. J. Physical Oceanography, Vol. 4, N 10, p. 579-593.
- Taylor J. P. and English S. J. (1995). The retrieval of cloud radiative and microphysical properties using combined near-infrared and microwave radiometry. Q. J. R. Meteorol. Soc., Vol. 121, p. 1083-1112.
- Taylor R. P. , Micolich A. P. , and Jonas D. (1999). Fractal analysis of Pollock's drip paintings. Nature, Vol. 399, N 6735, p. 422.
- Terradellas E., Morales G., Cuxart J., and Yague C. (2001). Wavelet method: application to the study of the stable atmospheric boundary layer under non-stationary conditions. Dynamics of Atmospheres and Oceans, Vol. 34, N 3-4, p. 225-244.
- Theon J.S., Matsuno T., Sakato T., Fuguno N., Eds. (1992). The global role of tropical rainfall. A. Deepak Publishing , Hampton, Va., 350 p.
- Thomas G. E. and K. Stamnes (1999). Radiative transfer in the atmosphere and ocean. Cambridge U. P. , New York, 517 p.
- Tichonov A. N. , and Arsenin V. Y. (1979). Methods of solution for non-correct problems. Moscow, "Nauka" Publ. House, 288p.
- Tikhonova T.V. , and Troitskii V. S. (1970). The thermal emission of the Moon and physical properties of its surface layer. Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 13, N 9, p. 1273-1311.
- Tilford S.G., Asrar G., Backlund P.W.(1994). Mission to planet Earth. Adv. Space Res., Vol.14, N1, p.5-9.
- Trenberth K. E. (1997) . Atmospheric moisture residence times and cycling: implications for how precipitation may change as climate changes. GEWEX News, Vol. 7, N 3, p. 1, 4-6.
- Trier S. B., Skamarock W. C., LeMone M. A. (1997). Structure and evolution of the 22 February 1993 TOGA COARE squall line: organization mechanism inferred from numerical simulation . J. Atmospheric Science , Vol. 54, N 3, p. 386-407.
- TRMM Office (1994). Meeting of the Tropical Rainfall Measuring Mission (TRMM) Joint Science Team (JTST). NASA/GSFC pub., Greenbelt, Maryland, Sept. 13-15, 1994, 266 pp.
- Troitskii V. S. (1951). On the theory of the measurement of weak signals with continuous spectrum. Jurnal technicheskoi phisiki (Journal of technical physics) . Vol. 21, N3,p. 994-1003 (in Russian).

- Troitskii V. S. (1954). On the theory of Moon's radioemission. Astronomicheskii jurnal (Astronomical Journal) , Vol. 31, N 6, p. 511-528 (in Russian).
- Troitskii V. S. (1967). Results of the Moon's investigation by its self-radiation. Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 10, N 9-10 , p. 1266-1282.
- Troitsky A. V. (1983). On possibility of atmospheric pressure remote determination by radiometric method from the Earth artificial satellite. Earth Research from Space (Earth Obs. Remote Sensing - Engl. transl.), N 4, p.33-38.
- Troitsky A. V. , Gajkovich K. P. , Gromov V. D., Kadygov E. N., and Kosov A. S. (1993). Thermal sounding of the atmospheric boundary layer in the oxygen absorption band center at 60 GHz. IEEE Trans. Geoscience Remote Sensing , Vol. 31, N 1, p. 116-120.
- Trokhimovskii Yu. G. (1997). The model for microwave thermal emission of sea surface with waves. Earth Research from Space (Earth Obs. Remote Sensing - Engl. transl.), N1, p. 39-49.
- Trokhimovski Yu.G., Westwater E. R. , Han Y., and Leuski V. E. (1998) . Air and sea surface temperature measurements using a 60-GHz microwave rotating radiometer. IEEE Trans. Geoscience Remote Sensing , Vol. 36, N 1, p. 3-15.
- Trokhimovski Yu.G., Irisov V. G., Westwater E. R. , Fedor L. S. , and Leuski V. E. (2000). Comparison of the sea surface brightness temperature measured during the Coastal Ocean Probing Experiment (COPE'95) from a blimp with model calculations. In "Microwave Radiometry and Remote Sensing of the Earth's Surface and Atmosphere". Eds.: Pampaloni P. and Paloscia S., VSP BV , Utrecht, Boston, Koln, Tokyo , p. 13-20.
- Truman W. M., Balanis C. A. , and Holmes J. I. (1977). Three-dimensional vector modeling and restoration of flat finite wave tank radiometric measurements. IEEE Trans. Antennas Propag., Vol. 25, N 1 , p. 95-104.
- Tsang L., Njoku E. , and Kong J.A. (1975). Microwave thermal emisson from a stratified medium with nonuniform temperature distribution.J. Applied Physics, Vol. 47, N 12, p. 5127-5133.
- Tsang L., and Kong J.A. (1976). Microwave remote sensing of a two-layer random medium. IEEE Trans. Antennas Propagation, Vol. 24, N 3, p. 283-288.
- Tsang L., and Kong J.A. (1977). Theory for thermal microwave emission from a bounded medium containing spherical scatterers. J. Applied Physics, Vol. 48, N 8, p. 3593-3599.
- Tsang L., Kong J. A., Njoku E., Staelin D. H., Waters J. W. (1977). Theory for microwave thermal emission from a layer of cloud or rain. IEEE Trans. Antennas Propag., Vol. 25, N 5 , p. 650-657.
- Tseytlin N. M. (1966). Application of radioastronomical methods in antennas technique. Moscow, "Sov. Radio" Publ. House, 213p. (in Russian).
- Tuchkov L. T. (1968) . Natural noise emissions at radiofrequencies. Moscow, "Sov. Radio" Publ., 161 p. (in Russian).
- Ulaby F. T., Moore R. K., Fung A.K. (1981, 1982, 1986). Microwave remote sensing- active and passive. Vol. I, II, III. Addison-Wesley Pub. Co., Reading, Mass., 2162 p.
- Ulaby F. T., Haddock T. F., Austin R . T. (1988). Fluctuation statistics of millimeter-wave scattering from distributed targets. IEEE Trans. Geoscience Remote Sensing,. Vol.26, N 3, p. 268-281.
- Vasil'ev L. N., Tyuflin A. S. (1992). The fractal nature of the spatial structure of geosystems. Sov. J. Remote Sensing, Vol. 9, N4, p. 630-642.
- Van Loon R. , and Finsy R. (1975). The precise microwave permittivity measurement of liquids using a multipoint technique and curve-fitting procedure. J. Phys. D : Appl. Phys. , Vol. 8, N 10, p. 1232-1243.
- Varadan V. K. , Bringi V. N., Varadan V. V. , and Ishimaru A. (1983). Multiple scattering theory for waves in discrete random media and comparision with experiments. Radio Science, Vol. 18, N 3, p. 321-327.

- Velden C. S. and Smith W.L. (1983). Monitoring tropical cyclone evolution with NOAA satellite microwave observations. *J. Climate and Applied Meteor.*, Vol.22, N5, p.714-724.
- Venslavskii V. B., Vorsin N. N. , Gaidanskii S. I., Gershenson V. E. , Glotov A. A. , Gromov V. K. , Lazarenko Y. P. , Mirovskii V. G., Stepanov K. G., Shamba A. S., and Etkin V. S. (1987). Shipborne gyrostabilized set for the microwave remote sensing of sea surface. Preprint N Pr-1246, Space Research Institute, Moscow, 34p.(in Russian).
- Veremey V. V. , Gorbunova T. A. , and Pugovkin L. V. (1978) . Energy balance with a light reflection from isotropic media boundary. *Optika i spectroscopia (Optics and spectroscopy)* , Vol. 44, N2, p. 345- 350 (in Russian) .
- Veselov V.M., Miltskii Yu.A., Mirovskii V.G., Sharkov E. A. and Etkin V.S.(1981) Experimental techniques for on-board radiometric antenna parameter determination . *Sov. J. Remote Sensing*, N2, p. 247-262.
- Vetlov I.P. and Veltishev N.F., Eds. (1982). Guide on using of satellite data for weather analysis and forecasting. Leningrad, Gidrometeoizdat, 292 pp (in Russian).
- Vicsek T. (1992). Fractal growth phenomena. World Scientific , Singapore etc., 528p.**
- Viltard N., Obligis E., Marecal V. , and Klapisz C. (1998). Retrieval of precipitation from microwave airborne sensors during TOGA COARE. *J. Applied Meteorology*, Vol. 37, N 7, p. 701-717.
- Vinnikov K. Y., Robock A., Qiu S., Entin J. K., Owe M., Choudhury B. J., Hollinger S. E. and Njoku E. G. (1999) . Satellite remote sensing of soil moisture in Illinois, United States. *J. Geophysical Research*, Vol. 104, N D4, p. 4145-4168.
- Vinogradov B. V. (1976). Spacio-temporal characteristics of radiothermal emission in the tropics on ESMR data from “Nimbus-5”. *Doklady Acad. Nauk* (Trans. of Russian Academy of Sciences / Earth Science Section- Eng. Transl.) , Vol.228, N5, p.1057-1060.
- Vinogradova M. B., Rudenko O. V., and Suchorukov A. P. (1979). Waves theory. Moscow, “ Nauka” Publishing House, 383 p. (in Russian).
- Volkov A. A. , Irisova N. A. , Lebedev S. N. , and Maltsev V. I. (1980). Measurements of ϵ' and ϵ'' of fluids at submillimeter band using the method of LRW-spectroscopy. Abstracts of III all-union Symp. on mm and submm waves. Gorkii , Vol.I, p. 215-216. (in Russian).
- Vorsin N. N. ,Glotov A. A., Mirovskii V. G., Raizer V. Y., Troizkii I. A., Sharkov E.A., and Etkin V. S. (1984). Natural radioemissive measurements of sea foam structures. *Sov. J. Remote Sensing* , Vol. 2, N3, p. 520-525.
- Voss R. (1989). Random fractals: self-affinity in noise, music, mountains and clouds. *Physica D* , Vol. 38, p. 362- 371.
- Wang J. R. , Boncyk W. C., Dod L. R. , and Sharma A. K. (1992). Retrieval of total precipitable water over high-latitude regions using radiometric measurements near 90 and 183 GHz. *J. Applied Meteorology*, Vol. 31, N 1`2, p. 1368-1378.
- Wang J. R. , Meneghini R., Kumagai H., Wilheit T. T., Boncyk W. C., Racette P., Tesmer J. R. , and Maves B. (1994). Airborne active and passive microwave observations of super typhoon Flo. *IEEE Trans. Geoscience Remote Sensing*, Vol. 32, N 2, p. 231-242.
- Wang J. R. , Racette P. , and Chang L. A. (1997a). MIR measurements of atmospheric water vapor profiles. *IEEE Trans. Geoscience Remote Sensing*, Vol. 35, N 2, p. 212-223.
- Wang J. R., Spinhirne J. D. , Racette P., Chang L. A. , and Hart W. (1997b). The effect of clouds on water vapor profiling from the millimeter-wave radiometric measurements. *J. Applied Meteorology*, Vol. 36, N 9, p. 1232-1244.
- Wang J. R. , Zhang J. , and Racette P. (1997c). Storm-associated microwave signatures in the frequency range of 90-220 GHz. *J. Atmospheric Oceanic Technology*, Vol. 14, N 1, p. 13-31.

- Wang J. R. , Zhang J. , and Racette P. (1998a) . Multiple aircraft microwave observations of storms over the western Pacific Ocean. *Radio Science*, Vol. 33, N 2, p. 531-368.
- Wang J. R. , Racette P. , Spinhirne J. D. , Evans K. F. , and Hart W. D. (1998b). Observations of cirrus clouds with airborne MIR, CLS, and MAS during SUCCESS . *Geophysical Research Letters*, Vol. 25, N 8, p. 1145-1148.
- Weaire D., and Hutzler S. (2000). *The physics of foams* . Oxford University Press, Oxford, 224p.
- Webster P. J. (1994). The role of hydrological processes in ocean-atmosphere interactions. *Reviews of Geophysics*, vol. 32, N 4, p. 427-476.
- Weinstock E. M., Hintsa E. J., Dessler A. E., and Anderson J. G. (1995). Measurement of water vapour in the tropical lower stratosphere during the CEPEX campaign: results and interpretation. *Geophys. Research Lett.*, Vol. 22, N 23 p., 3231-3234.
- Wen B., Tsang L. , Winebrenner D. P., and Ishimaru A. (1990). Dense medium radiative transfer theory: comparison with experiment and application to microwave remote sensing and polarimetry. *IEEE Trans. Geoscience Remote Sensing*, Vol. 28, N 1, p. 46-59.
- Wende C. D. (2000). NASA remote sensing mission and frequency issues. *IEEE IGARSS 2000 Proceedings*, Vol. VI, IEEE, New York, p. 2447-2451.
- Weng F., Zhao L., Ferraro R. R., Poe G., Li X. and Grody N. C. (2003). Advanced microwave sounding unit cloud and precipitation algorithms. *Radio Science*, Vol. 38, N4, 8068, doi:10.1029/2002RS002679.
- Wentz F. J. (1975). A two-scale scattering model for foam-free sea microwave brightness temperatures. *J. Geophysical Research*, Vol. 80, N 24, p. 3441-3446.
- Wentz F. J. , Mattox L. A. , and Peteherych S. (1986). New algorithms for microwave measurements of ocean winds : applications to Seasat and the special sensors microwave imager. *J. Geophysical Research*, Vol. 91, N C2, p. 2289-2307.
- West R. D., Moghaddam M., Johnson W. T. K. , Janssen M.A., Hamilton G. A., Liepack O. G., Bunker A., Berkun A. C., and Roth L. E. (2000). Cassini observes the Earth with Ku-band radar and radiometry. *IEEE IGARSS 2000 Proceedings*, Vol.I, IEEE, New York, p. 298-300.
- Wiesmann A. and Matzler Ch. (1999). Microwave emission model of layered snowpacks. *Remote Sens. Environment*, Vol. 70, N3, p. 307-316.
- Wiesmann A., Fierz C., and Matzler Ch. (2000). Simulation of microwave emission from physically modeled snowpacks. *Annals of Glaciology*, Vol. 31, p. 397-405.
- Wigneron J. P., Calvet J. C., Chanzy A., Grosjean O., Laguerre L. (1995). A composite discrete-continuous approach to model the microwave emission of vegetation. *IEEE Trans. Geosci. Remote Sensing*, Vol. 33, N 1, p. 201-211.
- Wigneron J.-P. , Waldteufel P., Chanzy A., Calvet J.-C., Marloie O., Hanocq F., and Kerr Y. (2000). Retrieval capabilities of L-band 2-D interferometric radiometry over land surfaces (SMOS mission). In "Microwave Radiometry and Remote Sensing of the Earth's Surface and Atmosphere". Eds.: Pampanoni P. and Paloscia S. VSP BV , Utrecht, Boston, Koln, Tokyo , p. 485-492.
- Wigneron J.-P. , Calvet J.-C. , Pellarin T., Van de Griend A. A., Berger M., and Ferrazzoli P. (2003). Retrieving near-surface soil moisture from microwave radiometric observations: current status and future plans. *Remote Sensing of Environment* , Vol. 85, N 4, p. 489-506.
- Wilheit T. T. (1978). Radiative transfer in a plane stratified dielectric. *IEEE Trans. Geosci. Electronics*, Vol. 16, N 2, p. 138-143.
- Wilheit T. T. (1979). A model for the microwave emissivity of the ocean's surface as function of wind speed. *IEEE Trans. Geosci. Electronics* , Vol. 17, N 4, p. 960-972.
- Wilheit T. T. and Fowler M. G. (1977). Microwave radiometric determinations of wind speed at the surface of the ocean during BESEX . *IEEE Trans. Antennas Propagation*, Vol. 25, N 1, p. 111-120.

- Wilheit T.T. and Chang A.T.C. (1980) . An algorithm for retrieval of ocean and atmospheric parameters from the observations of the scanning multichannel microwave radiometer. *Radio Science*. Vol. 15, N 3, p. 525-544.
- Wilheit T. T. , Gleaves J. R., Gatlin J. A., Han D., Krupp B.M., Milman A. S., and Chang E. S. (1984). Retrieval of ocean surface parameters from the Scanning Multifrequency Microwave Radiometer (SMMR) on the Nimbus-7 satellite. *IEEE Trans. Geosci. Remote Sensing*, Vol. 22, N2, p. 133-143.
- Williams G. F. (1969). Microwave radiometry of the ocean and the possibility of marine wind velocity determination from satellite observations. *J. Geophysical Research*, Vol. 74, N 18, p. 4591-4594.
- Williams G. F. (1971). Microwave emissivity measurements of bubbles and foam. *IEEE Trans. Geoscience Electronics*, Vol. 9, N 4 ,p. 221-224
- Wilson T. L. and Hutmeyer S. (2000). Tools of radio astronomy: problems and solutions. Springer-Verlag, New York, 162p.
- Wilson W. J. , Njoku E. G. and Yueh S. H. (2000). Active/passive microwave system with deployable mesh antenna for spaceborne ocean salinity measurements. *IEEE IGARSS 2000 Proceedings*, Vol. VI, IEEE, New York, p. 2549-2551.
- WMO, (1990 a). WCRP, Global Precipitation Climatology Project - implementation and data management plan. WMO/TD-N 367, Geneva, 47 p.
- WMO , (1990 b). Scientific plan for the TOGA coupled ocean-atmosphere response experiment. WCRP Publ. Series N 3 Addendum, WMO/TD-N 64 Addendum, WMO, Geneva, p. 75.
- Wolf D. A. de , and Zwiesler A. J. (1996). Rayleigh-Mie approximation for line-of-sight propagation through rain at 5-90 GHz. *IEEE Trans. Antennas Propagation*, Vol. 44, N3, p. 273-279.
- Wu J. (1981). Bubble population and spectra in near-surface ocean : summary and review of field measurements. *J. Geophysical Research*, Vol. 86, N C1, p. 457-463.
- Wu J., Dong X., Huang Y., and Jiang J. (2000). Some basic considerations of synthetic aperture radiometer. *IEEE IGARSS 2000 Proceedings*, Vol. VII, IEEE, New York, p. 3157-3159.
- Wu S. T. , and Fung A. K. (1972). A noncoherent model for microwave emissions and backscattering from the sea surface. *J. Geophysical Research*, Vol. 77, N 30, p. 5917-5929.
- Wu S. C., Chen M. F., Fung A. K. (1988). Scattering from non-gaussian randomly rough surfaces- cylindrical case. *IEEE Trans. Geosci. Remote Sensing*. Vol. 26,N 6,p. 790-798.
- Wu Z. and Liu A. (2002). Scattering of solar and atmospheric background radiation from a target. *Int. J. Infrared and Millimeter Waves*, Vol. 23, N6, p. 907-917.
- Xu Yong Fu , and Sun De An (2002). A fractal model for soil pores and its application to determination of water permeability. *Physica A*, Vol. 316, N 1-4, p. 56-64.
- Yamamoto K., Otsuka S., Ando M., Kawabe K. and Tsubono K. (2001). Experimental study of thermal noise caused by an inhomogeneously distributed loss. *Physics Letters*, Vol. 280, N 5-6, p. 289-296.
- Yang B. T. (1995). The first ocean remote sensing payload of the ROC: an introduction . COSPAR Colloquium . Space Remote Sensing of Subtropical Oceans. Taipei, Taiwan, p. 13A2-1 - 13A2-3.
- Yano J.-I., Moncrieff M. W. , Wu X., and Yamada. (2001a). Wavelet analysis of simulated tropical convective cloud systems. Part I: basic analysis. *J. Atmospheric Sciences*, Vol. 58, N 8, p. 850-867.
- Yastremskii P.S. .(1961). Dielectric permittivity and structure of water solutions of electrolytes. *Zhurnal Structurnoi Khimii (J. Structural Chemistry)* , Vol. 2, N 3, p. 268-278 (in Russian).
- Yechieli Y., and Wood W. W. (2002). Hydrogeological processes in saline systems: playas, sabkhas, and saline lakes. *Earth-Science Reviews*, Vol. 58, N 3-4, p. 343-365.

- Yueh S. H., Wilson W. J., Li F. K., Nghiem S. V., and Ricketts W. B. (1995). Polarimetric measurements of sea surface brightness temperatures using an aircraft K-band radiometer. IEEE Trans. Geosci. Remote Sensing, Vol. 33, N1, p. 85-92.
- Yueh S. H. , Wilson W. J. , Dinardo S. J. and Li F. K. (1999). Polarimetric microwave brightness signatures of ocean wind directions. IEEE Trans. Geoscience Remote Sensing , Vol. 37, N2, p. 949-959.
- Zaghoul H., and Buckmaster H. A. (1985). The complex permittivity of water at 9,356 GHz from 10 to 40°C. J. Phys. D : Appl. Phys., Vol. 18, N10, p. 2109-2118.
- Zapevalov A. S. and Smolov V. E. (1996). Modeling of spectral characteristics of sea wind waves in the remote sensing problems. Earth Research from Space (Earth Observ. Rem. Sens.- Engl. Transl.), N6 , p. 71-77.
- Zaslavskii G. M. and Sharkov E. A. (1987). Fractal features in breaking wave areas on sea surface. Doklady Acad. Nauk SSSR (Trans. of USSR Academy of Sciences - Engl. Trans.), Vol. 294, N6, p. 1362-1366 .
- Zeldovich Yu. B. , and Sokolov D.D. (1985). Fractals, similarity, intermediate asymptotics. Uspechi Fizicheskich Nauk (Physics-Uspekhi – English Transl.) , Vol. 146 , N 3, p. 493-506.
- Zhevakin S. A. and Naumov A. P. (1967). Propagation of centimeter, millimeter and submillimeter radiowaves in the Earth's atmosphere . Izvestia VUZ. Radiofizika. (Izvestiya , Radiophysics and Quantum Electronics - Engl. Transl.), Vol. 10, N 9-10, p. 1213-1243 .
- Zolotarev V. M. (1983). One-dimensional tolerance distributions. Nauka Publ. House, Moscow, 210pp. (in Russian).
- Zuev V. E. and Komarov V. S.(1987).Statistical models of the temperature and gaseous component of the atmosphere . D. Reidel Publ. Comp., Dordrechts -Boston-Lancaster-Tokio, 306 p.
- Zuzek J. E. (2000). Sensor frequency allocation issues for WRC-2000. IEEE IGARSS 2000 Proceedings, Vol. VI, IEEE, p. 2444-2446.
- Zuzek J. E. , Stevens G. and Marelli E. (2000). Protection of passive sensing use in the 18,6-18,8 GHz band. IEEE IGARSS 2000 Proceedings, Vol. VI, IEEE, New York, p. 2464-2466.